

Acknowledgements

The researches were supported by the FISR project “Qualità dei prodotti di origine animale e salute umana: miglioramento della frazione lipidica e minerale del latte e dei latticini di vacca, pecora e capra al fine di accrescere il valore nutraceutico e la sicurezza degli alimenti”.

Ringraziamenti

...sarò breve, grazie è significazione d'animo grato per dono ricevuto

Dopo aver usurpato la lingua del mio amato Tolkien per 95 pagine è giunto il momento di giocare un pò con la lingua madre e giacché ci siamo il mio più grande grazie va a Mamma e Papà, perché veramente non sarei mai arrivato a Piacenza senza la loro carità (intesa come amore) di genitori. Grazie Silvana e Giuseppe, per la carità di sorella e cognato

Grazie Elisa, carità è amore per andare insieme, come diresti tu “nonostante tutto”

Grazie dr Moschini, prof. Masoero e dr Beone, per il valore, la pazienza, la costanza e la minuziosità dei vostri consigli, e grazie Antonio

Grazie prof Piva per la presenza fraterna e saggia. Grazie Anna Flora e Paolo. Grazie dr Zerbini per la fantastica esperienza negli States. Grazie a tutti i dipendenti Cargill di Elk River. Grazie al dr Morlacchini e Fusconi ed in particolare a Tiziano, Salvatore, Mauro e Nazareno per la loro pazienza in stalla. Grazie alle fanciulle di Cerzoo

Grazie ad Alessandro Stercoli e Marcello Mele per il contributo alla stesura di questa tesi

Grazie Marta, Caterina, Mauro, Nicole, Conte, Ada, Paola, Michela, Eugenia, Sara, Terenzio, Alessia, Barbara, Silvia, Annalisa, Marco, Filippo, Carla, Lucia e tutto l'istituto. Un posto di matti, ma un bel posto! Grazie ai miei colleghi di dottorato fuori dalla gabbia dei matti: in particolare grazie a Sara (nella gabbia di matti di fronte) e Barbara (matta senza gabbia). Grazie Roberta Tedesco. Grazie a chi ho dimenticato o a chi non ho capito

E ora...potevo non metterlo? Grazie Gianluca!

Grazie Salvo, Fabio, Domenico, Daniela e tutti i miei amici di Piacenza...un faro nella nebbia...a proposito, grazie nebbia, anche tu sei servita! Grazie Yvan, in un modo o nell'altro c'entri sempre

A Marta, un vero dono. Grazie

References

A

- Aalto-Korte K, Jolanki R, Estlander T (2003). Formaldehyde-negative allergic contact dermatitis from melamine-formaldehyde resin. *Contact Dermatitis*, 49:194–196.
- Abbagnano N (1971). Dizionario di Filosofia, seconda edizione. Unione Tipografico – Editrice Torinese (UTET)
- Aghini-Lombardi F, Antonangeli L, Vitti P, Pinchera A (1993). Status of iodine nutrition in Italy. In: Delange F, Dunn JT, Glinoer D, eds. Iodine deficiency in Europe. A continuing concern. New York: Plenum Press, 403-408.
- Akritas MG, Arnold SF, Brunner E (1997). Non-parametric hypotheses and rank statistics for unbalanced factorial designs. *Journal of the American Statistical Association*, 92:258-265.
- Alderman G, Stranks MH (1967). The iodine content of bulk herd milk in summer in relation to estimated dietary iodine intake of cows. *Journal of the Science of Food and Agriculture*, 18:151-153.
- Allaway WH (1968). Control of the environmental level of selenium. *Trace Substance Environmental Health*, 2:181–206.
- Allegrini M, Lanzola E, Gallorini M (1985). Dietary selenium intake in a coronary heart disease study in Northern Italy. *Nutrition Research*, 1, 398–402.
- Allen LM, Briggle TV, Pfaffenberger CD (1982). Absorption and excretion of cyanuric acid in long-distance swimmers. *Drug Metabolism Reviews*, 13(3):499-516.
- Als C, Haldimann M, Bürgi E, Donati F, Gerber H, Zimmerli B (2003). Swiss pilot study of individual seasonal fluctuations of urinary iodine concentration over two years: is age-dependency linked to the major source of dietary iodine? *European Journal of Clinical Nutrition*, 57:636-646.
- Andersen WC, Turnipseed SB, Karbiwnyk CM, Clark SB, Madson MR, Giesecker CM, Miller RA, Rummel NG, Reimschuessel R (2008). Determination and Confirmation of Melamine Residues in Catfish, Trout, Tilapia, Salmon, and Shrimp by Liquid Chromatography with Tandem Mass Spectrometry. *Journal of Agricultural and Food Chemistry*, 56(12):4340-4347.
- Angstwurm MWA, Schottdorf J, Schopohl J, and Gartner R (1999). Selenium replacement in patients with severe systemic inflammatory response syndrome improves clinical outcome. *Critical care medicine*, 27:1807-1813.
- AOAC (1990). Official methods of analysis. 15th ed. Association of Official Analytical Chemists, Washington, DC, USA.
- AOAC (2000). Official Methods of Analysis. 17th ed. Association of Official Analytical Chemists, Washington, DC, USA.

AOAC (2007). Official methods of analysis. 18th ed. Association of Official Analytical Chemists, Washington, DC, USA.

Arthur JR, Beckett GJ. (1994). Neometabolic roles for selenium. *Proceedings of the Nutrition Society*, 53:615–624.

Aspila P (1991). Metabolism of selenite, selenomethionine and feed incorporated selenium in lactating goats and dairy cows. *Journal of Agricultural Science in Finland*, 63:1-73.

B

Barwick VJ, Ellison SLR, Fairman B (1999). Estimation of uncertainties in ICP-MS analysis: a practical methodology. *Analytica Chimica Acta*, 394: 281-291.

Baumann H (1990). Rapid and sensitive determination of iodine in fresh milk and milk powder by inductively coupled plasma — mass spectrometry (ICP-MS). *Fresenius' Journal of Analytical Chemistry*, 338 (7):809-812.

Baynes RE, Smith G, Mason SE, Barrett E, Barlow BM, Riviere JE 2008. Pharmacokinetics of melamine in pigs following intravenous administration. *Food and Chemical Toxicology*, 46:1196-1200.

Beck MA (1998). The influence of antioxidant nutrients on viral infection. *Nutrition Reviews*, 56(S1):40–46.

Berg JN, Padgett D, McCarthy B (1988). Iodine concentrations in milk of dairy cattle fed various amounts of iodine as ethylenediamine dihytroidiode. *Journal of Dairy Science*, 71:3283–3291.

Bertoni G (2009). Preface. *Italian Journal of Animal Science*, vol. 8 (Suppl. 1), 5-8.

Bhagat PR, Acharya R, Nair AGC, Pandey AK, Rajurkar NS, Reddy AVR (2009). Estimation of iodine in food, food products and salt using ENAA. *Food Chemistry*, 115:706–710.

Binnerts WT (1958). *Acta Physiologica et Pharmacologica Neerlandica*, 7, cited from Harding, F. 1982. Iodide in Milk and Milk Products. International Dairy federation, IDF Doc 152, Brusselles.

Bleichrodt N, Born MP (1994). A meta-analysis of research on iodine and its relationship to cognitive development. In: Stanbury JB, ed. *The damaged brain of iodine deficiency*. New York, Cognizant Communication, 195–200.

Boland M, MacGibbon A, Hill J (2001). Designer milks for the new millennium. *Livestock Production Science*, 72:99–109.

Bratter P, Blasco IN, Negretti VE, Raab A (1998). Speciation as an analytical aid in trace element research in infant nutrition. *The Analyst*, 123:821-826.

Broome AW (1968). The use of non-protein nitrogen in animal feeds. In H. Swan and D. Lewis (Ed.) Proc., Univ. of Nottingham School of Agriculture Second Nutr. Conf. for Feed Manufacturers. P.92--113. J&A Churchill, Ltd., London.

Burk RF, Hill KE (2005). Selenoprotein P: an extracellular protein with unique physical characteristics and a role in selenium homeostasis. *Annual Review of Nutrition*, 25:215-35.

Burroughs W, Nelson DK, Mertens DR (1975). Protein physiology and its application in the lactating cow: the metabolizable protein feeding standard. *Journal of Animal Science*, 41:933-944.

Buur JL, Baynes RE, Riviere JE (2008). Estimating meat withdrawal times in pigs exposed to melamine contaminated feed using a physiologically based pharmacokinetic model. *Regulatory Toxicology and Pharmacology*, 51: 324-331.

C

Canelli E (1974). Chemical, bacteriological, and toxicological properties of cyanuric acid and chlorinated isocyaurates as applied to swimming pool disinfection, a review. *American Journal of Public Health*, 64:155–162.

Castiglioni L, Mariotti S (1966). Vocabolario della lingua Latina. Loescher, Editore Torino.

Cavalieri RR (1997). Iodine metabolism and thyroid physiology: Current concepts. *Thyroid*, 7:177–181.

Ceballos A, Sánchez J, Stryhn H, Montgomery JB, Barkema HW, Wichtel JJ (2009). Meta-analysis of the effect of oral selenium supplementation on milk selenium concentration in cattle. *Journal of Dairy Science*, 92:324–342.

Cheng G, Shapir N, Sadowsky MJ, Wackett LP (2005). Allophanate hydrolase, not urease, functions in bacterial cyanuric acid metabolism. *Applied and Environmental Microbiology*, 71(8):4437–4445.

Chesney AM, Clawson TA, Webster B (1928). Endemic goitre in rabbits. *Johns Hopkins Bulletin*, 43:261-277.

Cianciolo RE, Bischoff K, Ebel JG, Van Winkle TJ, Goldstein RE, Serfilippi LM (2008). Clinicopathologic, histologic, and toxicologic findings in 70 cats inadvertently exposed to pet food contaminated with melamine and cyanuric acid. *Journal of the American Veterinary Medical Association*, 233:729–737.

Clark LC, Combs GF Jr, Turnbull BW, Slate EH, Chalker DK, Chow J, Davis LS, Glover RA, Graham GF, Gross EG, Krongrad A, Lesher JL Jr, Park HK, Sanders BB Jr, Smith CL, Taylor JR (1996). Effects of selenium supplementation for cancer prevention in patients with carcinoma of the skin. A randomized controlled trial. Nutritional Prevention of Cancer Study Group. *Journal of the American Medical Association*, 276:1957–1963.

Clark R, Barratt EL, Kellerman JH (1965). A comparison between nitrogen retention from urea, biuret, triuret and cyanuric acid by sheep on a low protein roughage diet. *Journal of South African Veterinary Medical Association*, 36:79.

Clark R (1966). Melamine crystalluria in sheep. *Journal of South African Veterinary Medical Association*, 37:349–351.

Combs GF (2001). Selenium in global food systems. *British Journal of Nutrition*, 85:517-547

Conrad HR, Moxon AL (1979). Transfer of dietary selenium to milk. *Journal of Dairy Science*, 62:404-411.

Contempre B, Denef JF, Dumont JE, Many MC (1993). Selenium deficiency aggravates the necrotizing effects of a high iodide dose in iodine deficient rats. *Endocrinology*, 132:1866-1868.

Cotton AF, Wilkinson G (1999). Advanced Inorganic Chemistry. Part 2, 13. The Group 17 Elements: F, Cl, Br, I. At. Wiley Interscience Publication, New York

Cox DN, Bastiaans K (2007). Understanding Australian consumers' perceptions of selenium and motivations to consume selenium enriched foods. *Food Quality and Preference*, 18:66-76.

Crecelius EA (1975). Determination of total iodine in milk by x-ray fluorescence spectrometry and iodide electrode. *Analytical Chemistry*, 47(12):2034-2035.

Cruywagen CW, Stander MA, Adonis M, Calitz T (2009). Hot Topic: Pathway confirmed for the transmission of melamine from feed to cow's milk. *Journal of Dairy Science*, 92:2046-2050.

Cunsolo V (2005). La spettrometria di massa nell'identificazione delle adulterazioni nel latte. *Giornale di Didattica della Società Chimica Italiana*. Anno XXVII, n. 3, 69-72

D

Daburon F, Fayart G, Tricaud Y (1989). Caesium and iodine metabolism in lactating cows under chronic administration. *Science of the Total Environment*, 85:253-256.

Darlow BA, Inder TE, Graham PJ, Sluis KB, Malpas TJ, Taylor BJ, Winterborn CC (1995). The relationship of selenium status to respiratory outcome in the very low birth weight infant. *Pediatrics*, 96:314-319.

Davies NT (1979). Anti-nutrient factors affecting mineral utilization. *Proceedings of the Nutrition Society*, 38:121-128.

Davis SR, Farr VC, Knowles SO, Lee J, Kolver ES, Auldist MJ (2001). Sources of variation in milk calcium content. *Australian Journal of Dairy Technology*, 56 (Abstract 156).

Debski B, Picciano MF, Milner JA (1987). Selenium content and distribution of human, cow and goat milk. *Journal of Nutrition*, 117:1091-1097.

Delange F, Hetzel B (2000). The iodine deficiency disorders. The thyroid and its disease. Available at: <http://www.thyroidmanager.org/chapter20/20-frame.htm>

Delange F (1994). The disorders induced by iodine deficiency. *Thyroid*, 4:107-128.

Dobson RLM, Motlagh S, Quijano M, Cambron RT, Baker TR, Pullen AM, Regg BT, Bigelow-Kern AS, Vennard T, Fix A, Reimschuessel R, Overmann G, Shan Y, Daston P (2008). Identification and

characterization of toxicity of contaminants pet food leading to an outbreak of renal toxicity in cats and dogs. *Toxicological Sciences*, 106(1):251-262

DSM (2007). Melamine Industry. Available at:

http://www.dsm.com/en_US/html/dmm/DSM_Melamine_Industry_Update.htm

E

EFSA, European Food Safety Authority (2005). Opinion of the Scientific Panel on Additives and Products or Substances used in Animal Feed on the request from the Commission on the use of iodine in feedingstuffs. *The EFSA Journal*, 168:1-42.

EFSA, European Food Safety Authority (2007). Efsa's provisional statement on a request from the European Commission related to melamine and structurally related compounds such as cyanuric acid in protein-rich ingredients used for feed and food. Available at:

http://www.efsa.europa.eu/EFSA/efsa_locale-1178620753812_1211902098433.htm

Ellison SLR, Roesslein M, Williams A (2000). Eurachem/Citac Guide: Quantifying uncertainty in analytical measurement. Second edition. Available at <http://eurachem.com>

European Commission (1986). Report of the Scientific Committee for Food on certain monomers of other starting substances to be used in the manufacture of plastic materials and articles intended to come into contact with foodstuffs. Seventeenth series. Opinion expressed on 14 December 1984. Available at:
http://ec.europa.eu/food/fs/sc/scf/reports/scf_reports_17.pdf.

European Committee for Standardization. (2007). UNI EN 15111:2007. Determination of iodine by ICP-MS (inductively coupled plasma mass spectrometry). 1-12. Brussels, Belgium.

F

FAO/WHO (2004). Vitamin and Mineral Requirements in Human Nutrition. Second Edition. WHO press.

FDA, US Food and Drug Administration (2007). Interim Melamine and Analogues Safety/Risk Assessment, May 24, 2007. Available at: <http://www.fda.gov/OHRMS/DOCKETS/98fr/07n-0208-ra00001.pdf>.

FDA, US Food and Drug Administration (2008). The List of Indirect Additives Used in Food Contact Substances. Available at:

<http://www.fda.gov/Food/FoodIngredientsPackaging/ucm115333.htm>

FDA, US Food and Drug Administration (2009). Selenium and a Reduced Risk of Site-specific Cancers, FDA-2008-Q-0323. June 19, 2009. Available at:

<http://www.fda.gov/Food/LabelingNutrition/LabelClaims/QualifiedHealthClaims/ucm168527.htm>

Fecher PA, Goldmann I, and Nagengast A (1998). Determination of iodine in food samples by inductively coupled plasma mass spectrometry after alkaline extraction. *Journal of Analytical Atomic Spectrometry*, 13:977–982.

Fernández-Sánchez LM, Szpunar J (1999). Speciation analysis for iodine in milk by size-exclusion chromatography with inductively coupled plasma mass spectrometric detection (SEC-ICP MS). *Journal of Analytical Atomic Spectrometry*, 14:1697-1702.

Fertilizer Institute, The (2008). Statement on Melamine. 17 December 2008. Available at: www.tfi.org/mediacenter/tfimelaminestatement.pdf

Finley JW, Penland JG (1998). Adequacy or deprivation of dietary selenium in healthy men: clinical and psychological findings. *The Journal of Trace Elements in Experimental Medicine*, 11:11–27.

Flachowsky G, Schöne F, Leiterer M, Bemann D, Spolders M, Lebzien P (2007). Influence of an iodine depletion period and teat dipping on the iodine concentration in serum and milk of cows. *Journal of Animal and Feed Sciences*, 16:18–25.

Food and Nutrition Board (2000). Dietary Reference Intakes for Vitamin C, Vitamin E, Selenium, and Carotenoids. A Report of the Panel on Dietary Antioxidants and Related Compounds Subcommittees on Upper Reference Levels of Nutrients and Interpretation and Uses of DRIs Standing Committee on the Scientific Evaluation of Dietary Reference Intakes, pp.284–324. Washington, DC: National Academy Press.

Fordyce FM, Guangdi Z, Green K, Xinpingle L (2000). Soil, grain and water chemistry in relation to human selenium responsive diseases in Enshi District, China. *Applied Geochemistry*, 15:117–132.

Fradkin JE, Wolff J (1983). Iodide induced thyrotoxicosis. *Medicine*, 62:1-20

G

Galton DM (2004). Effects of an automatic postmilking teat dipping system on new intramammary infections and iodine in milk. *Journal of Dairy Science*, 87:225–231.

Galton DM, Petersson LG, Erb HN (1986). Milk iodine residues in herds practicing iodophor premilking teat disinfection. *Journal of Dairy Science*, 69:267-271.

Galton DM, Petersson LG, Merrill WG, Bandler DK, Shuster DE (1984). Effects of premilking udder preparation on bacterial population, sediment, and iodine residue in milk. *Journal of Dairy Science*, 67:2580-2589.

Gazzetta Ufficiale della Repubblica Italiana (2005). Serie Generale n.91 Legge 21 marzo 2005 n. 55.

Girelli ME, Coin P, Mian C, Nacamulli D, Zambonin L, Piccolo M, Vianello-Dri A, Gottardo F, Busnardo B (2004). Milk represents an important source of iodine in schoolchildren of the Veneto region, Italy. *Journal of Endocrinological Investigation*, 27:709-713.

Givens DI, Allison R, Cottrill B, Blake JS (2004). Enhancing the selenium content of bovine milk through alteration of the form and concentration of selenium in the diet of the dairy cow. *Journal of the Science of Food and Agriculture*, 84:811-817.

Goodman H, Middlesworth L (1980). The thyroid gland. In Medical Physiology, Vol. 2, pp. 1495–1518, V. Mountcastle, ed. St. Louis: C.V. Mosby Co.

Grace ND, Lee J, Mills RA, Death AF (1997). Influence of Se status on milk Se concentrations in dairy cows. *New Zealand Journal of Agricultural Research*, 40:75–78 pp.

Groppel B, Anke M (1986). Iodine content of feedstuffs, plants and drinking water in the GDR. In: Anke M, Boumann W, Braunich H, Bruckner B, Groppel B. Spurenelement Symposium Proceedings, vol 5. Iodine. Friedrich Schiller University, Jena, 19-28.

H

Hammer D, Andrey D (2008). Comparison of Ion-Selective Electrode and Inductively Coupled Plasma-Mass Spectrometry to Determine Iodine in Milk-Based Nutritional Products. *Journal of AOAC International*, 91(6):1397-1401.

Harrison JH, Conrad HR (1984). Effect of selenium intake on selenium utilization by the nonlactating dairy cow. *Journal of Dairy Science*, 67:219–223.

Heard JW, Stockdale CR, Walker GP, Leddin CM, Dunshea FR, McIntosh GH, Shields PM, McKenna A, Young GP, Doyle PT (2007). Increasing Selenium Concentration in Milk: Effects of Amount of Selenium from Yeast and Cereal Grain Supplements. *Journal of Dairy Science*, 90:4117-4127.

Hemken RW, Vandersal JH, Oskarsson MA, Fryman LR (1972). Iodine intake related to milk iodine and performance of dairy cattle. *Journal of Dairy Science*, 55:931-934.

Herzig I, Poul J, Pisarikova B, Gopfert E (2003). Milk iodine concentration in cows treated orally or intramuscularly with a single dose of iodinated fatty acid esters. *Veterinary Medicine Czech*, 48(6):155–162.

Hetzel BS (1983). Iodine deficiency disorders (IDD) and their eradication. *The Lancet*, 2:1126–1129.

Hoffmann PR, Berry MJ (2008). The influence of selenium on immune responses. *Molecular nutrition and Food Research*, 52(11):1273 – 1280.

I

IARC, International Agency for Research on Cancer (1999). Some chemicals that cause tumours of the kidney, or urinary bladder in rodents, and some other substances. *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, 73:329-338.

ICCID, International Council for the Control of Iodine Deficiency Disorders. Website maps available at: <http://www.iccidd.org>

Iodine Network (2008). UNICEF database, Households iodized salt consumption. Available at:

<http://www.iodinenetwork.net/Data.htm>

Irimia-Vladua M, Marjanovicb N, Bodeac M, Hernandez-Sosad G, Montaigne Ramilb A, Schwödauerera R, Bauera S, Sariciftcie NS, Nüeschf F (2009). Small-molecule vacuum processed melamine-C60, organic field-effect transistors. *Organic Electronics*, 10(3):408-415.

Ishiwata H, Inoue T, Yamazaki T, Yoshihira K (1987). Liquid chromatographic determination of melamine in beverages. *Journal of Association of Official Analytical Chemists*, 70:457-460.

IUPAC, International Union for Pure and Applied Chemistry (2000). Speciation as a discipline in Analytical Chemistry –Definitions. Available at: <http://www.speciation.net/Public/Document/2003/09/11/495.html>

Ivancic JJ, Weiss WP (2001). Effect of Dietary Sulfur and Selenium Concentrations on Selenium Balance of Lactating Holstein Cows. *Journal of Dairy Science*, 84:225–232.

J

Jarvis KE, Gray AL, Houk RS (1992). Handbook of Inductively Coupled Plasma Mass Spectrometry. Blackie, Glasgow.

Jenkins KJ, Hidiroglou M (1986). Tolerance of the pre-ruminant calf for selenium in milk replacer. *Journal of Dairy Science*, 69:1865-1870.

Johnson JM, Butler GW (1957). Iodine content of pasture plants. Method of determination and preliminary investigation of species. *Physiologia Plantarum*, 10:100-111.

Jukola E, Hakkarainen J, Saloniemi H, Sankari S (1996). Blood Se, vitamin E, vitamin A, and Beta-carotene concentrations and udder health, fertility treatments and fertility. *Journal of Dairy Science*, 79:838-845.

Julshamn K, Dahl L, Eckhoff K (2001). Determination of Iodine in Seafood by Inductively Coupled Plasma/Mass Spectrometry. *Journal of AOAC International*, 84(6):1976-1983.

Juniper DT, Phipps RH, Givens DI, Jones AK, Green C, Bertin G (2008). Tolerance of ruminant animals to high dose in-feed administration of a selenium enriched yeast. *Journal of Animal Science*, 86:197-204.

Juniper DT, Phipps RH, Jones AK, Bertin G (2006). Se Supplementation of lactating dairy cows: effect on Se concentration in blood, milk, urine, and faeces. *Journal of Dairy Science*, 89:3544-3551.

Jutzi K, Cook AM, Hütter R (1982). The degradative pathway of the s-triazine melamine. *Biochemical Journal*, 208:679-684.

K

Kiremidjian-Schumacher L, Roy M, Wishe HI, Cohen MW, Stotzky G (1994). Supplementation with selenium and human immune cell functions. *Biological and Trace Elements Research*, 41:115–127.

Kirk-Othmer Encyclopedia of Chemical TechnologyCopyright © (1978). By John Wiley & Sons, Inc.

Klein EA (2004). Selenium: epidemiology and basic science. *The Journal of Urology*, 171:S50–S53.

Klein EA, Lippman SM, Thompson IM, Goodman PJ, Taylor DAPR, Coltman C (2003). The Selenium and Vitamin E Cancer Prevention Trial. *World Journal of Urology*, 21:21–27.

Knapp G, Maichini B, Fecher P, Hasse S, Schramel P (1998). Iodine determination in biological materials. Options for sample preparation and final determination. *Fresenius Journal of Analytical Chemistry*, 362:508–513.

Knowles SO, Grace ND, Knight TW, McNabba WC, Lee J (2006). Reasons and means for manipulating the micronutrient composition of milk from grazing dairy cattle. *Animal feed science and technology*, 131:154–167.

Knowles SO, Grace ND, Wurms K, Lee J (1999). Significance of amount and form of dietary Se on blood, milk and casein Se concentrations in grazing cows. *Journal of Dairy Science*, 82:429–437.

Kohrle J (2005). Selenium and the control of thyroid hormone metabolism. *Thyroid*, 15(8):841–853.

Koster EP (2009). Diversity in the determinants of food choice: A psychological perspective. *Food Quality and Preference*, 20:70–82.

Koyama H, Abdulah R, Ohkubo T, Imai Y, Satoh H, Nagai K (2009). Depressed serum selenoprotein P: possible new predictor of increased risk for cerebrovascular events. *Nutrition Research*, 29:94–99.

L

Lam CW, Lan L, Che X, Tam S, Wong SSY, Chen Y, Jin J, Tao SH, Tang XM, Yuen KY, Tam PKH (2009). Diagnosis and spectrum of melamine-related renal disease: plausible mechanism of stone formation in humans. *Clinica chimica acta*, 402:150–155.

Langlands JP, Donald GE, Bowles JE, Smith AJ (1989). Selenium concentration in the blood of ruminants grazing in Northern New South Wales. Relationship between blood concentration and the response in liveweight of grazing cattle given a selenium supplement. *Australian Journal of Agricultural Research*, 40:1075–1083.

Langlands JP, Donald GE, Bowles JE, Smith AJ (1990). Selenium supplement for grazing sheep. A comparison between soluble salts and other forms of supplement. *Animal feed Science and Technology*, 28:1–13.

Lee AM, Huel G, Godin J, Hellier G, Sahuquillo J, Moreau T, Blot P (1995). Inter-individual variation of selenium in maternal plasma, cord blood and placenta. *Science of the Total Environment*, 159:119–127.

Lee SM, Lewis J, Buss DH, Holcombe GD, Lawrence PR (1994). Iodine in British foods and diets. *British Journal of Nutrition*, 72:435–446.

Leiterer K, Truckenbrodt D, Franke K (2001). Determination of iodine species in milk using ion chromatographic separation and ICP-MS detection. *European Food Research Technology*, 213:150–153.

Li Bing, Wei L, Hong-xia Y, Xiaoduan L, Deng-yun C (2006). Determination of Iodine Species using HPLC-ICP-MS. Agilent ICP-MS Journal, November 2006 - Issue 29.

Linsinger T (2005). Application note 1. Comparison of a measurement result with the certified value. Institute of References Materials and Measurement. Geel, Belgium.

Lipschitz WL, Stokey E (1945). The mode of action of three new diuretics: melamine, adenine and formoguanamine. *Journal of Pharmacology and Experimental Therapeutics*, 83:235-249.

Littell RC, Henry PR, Ammerman CB (1998). Statistical analysis of repeated measures data using SAS procedures. *Journal of Animal Science*, 76(4):1216-1231.

Lodge RW (1963). Plant poisonous to livestock. *Canadian Veterinary Journal*, 4(12):314-316

M

Mace DL, Tucker JA, Bills CB, Ferreira CJ (1963). Reduction in incidence of birth of premature, weak and dead calves following sodium selenite and α -tocopherol therapy in pregnant cows. *Bulletin, California Department of Agriculture*, 52(1):21.

Maiorino M, Thomas JP, Girotti AW, Ursini F (1991). Reactivity of phospholipid hydroperoxide glutathione peroxidase with membrane and lipoprotein lipid hydroperoxides. *Free Radical Research Communications*, 12:131–135.

Maroadi A, Piva G, Rastelli A, Caprioli (1972). Sull'impiego alimentare dell'urea fosfato nei vitelloni. *Rivista di Zootecnia*, 45:389-397.

Marranghello T, Mazziotti Di Celso P, Piva G, Martillotti F, Malossini F, Amerio M (1975). Effetti dell'integrazione azotata con urea e urea-fosfato nell'insilato di mais. *Annali Istituto Sperimentale per la Zootecnia*, 8(2):183-204.

Mason RW, Laby R (1978). Prevention of ovine congenital goitre using iodine-releasing intraruminal devices: preliminary results. *Australian Journal of Experimental Agriculture and Animal Husbandry*, 18(94):653 – 657.

Mast RW, Jeffcoat AR, Sadler BM, Kraska RC, Friedman MA (1983). Metabolism, disposition and excretion of [14C] melamine in male Fischer 344 rats. *Food and Chemical Toxicology*, 21(6):807-10.

Masters K (2008). Chain reaction – When dangerous contaminants enter the food chain, a rapid response is vital. *Dairy Industries International*, 73(12), 25-26.

Maus RW, Martz FA, Belyea RL, Weiss MF (1980). Relationship of Dietary Selenium to Selenium in Plasma and Milk from Dairy Cows. *Journal of Dairy Science*, 63:532-537.

McCloy R (1998). Chronic pancreatitis at Manchester, UK: focus on antioxidant therapy. *Digestion*, 59(S4):36–48.

McSweeney CS, Dalrymple BP, Gobius KS, Kennedy PM, Krause DO, Mackie RI, Xue GP (1999). The application of rumen biotechnology to improve the nutritive value of fibrous feedstuffs: pre- and post-ingestion. *Livestock Production Science*, 59:265–283.

Meek ME, Bucher JR, Cohen SM, Dellarco V, Hill RN, Lehman-McKeeman LD, Longfellow DG, Pastoor T, Seed J, Patton DE (2003). A framework for human relevance analysis of information on carcinogenic modes of action. *Critical Reviews in Toxicology*, 33(6):591-653.

Melichercik J, Sajjarto L, Hill AR (2006). Comparison of Ion-Specific Electrode and High Performance Liquid Chromatography Methods for the Determination of Iodide in Milk. *Journal of Dairy Science*, 89:934–937.

Merck (2008). The Merck Manuals. The Online Medical Library. Available at:
<http://www.merck.com/mmpe/sec01/ch005/ch005e.html>

Mertens DR (1997). Creating a system for meeting the fiber requirements of dairy cows. *Journal of Dairy Science*, 80:1463-1481.

Mikkelsen RL, Page AL, Bingham FT (1989). Factors affecting selenium accumulation by agricultural crops. In: Jacob LW, editor. *Selenium in Agriculture and the Environment*, Soil Science Society of America (SSSA) special publication, vol. 23. Wisconsin, USA: American Society of Agronomy Inc and Soil Science Society of America Inc; 65–94 pp.

Miller JK, Swanson EW (1973). Metabolism of ethylenediamine dihydriodide and sodium or potassium iodide by dairy cows. *Journal of Dairy Science*, 56:378-384.

Miller JK, Swanson EW, Spalding GE (1975). Iodine absorption, excretion, recycling, and tissue distribution in the dairy cow. *Journal of Dairy Science*, 58:1578-1593.

Miller JK, Moss BR, Swanson EW, Aschbacher PW, Cragle RG (1968). Calcium iodate and pentacalcium orthoperiodate as sources of supplemental iodine for calves. *Journal of Dairy Science*, 51:1831–1836.

Minson DJ (1990). Forage in ruminant nutrition. Academic Press, New York, pp. 369-381.

Moschini M, Battaglia M, Beone GM, Piva G, Masoero F (2010). Iodine and selenium carry over in milk and cheese in dairy cows: effect of diet supplementation and milk yield. *Animal*, 4: 147-155.

Moxon RED, Dixon EJ (1980). Semi-automatic method for the determination of total iodine in food. *The Analyst*, 105(1249):344-352.

Muñiz-Naveiro O, Domínguez-González R, Bermejo-Barrera A, Bermejo-Barrera P, Cocho JA and Fraga JM (2006). Study of the bioavailability of selenium in cows' milk after a supplementation of cow feed with different forms of selenium. *Analytical and Bioanalytical Chemistry*, 385:189-196.

N

National Research Council (2001). Nutrient requirements of dairy cattle, seventh revised edition. National Academy of Science, Washington, DC.

Néve J (1996). Selenium as a risk factor for cardiovascular diseases. *Journal of cardiovascular Risk*, 3:42-47

Newton GL , Utley PR (1978). Melamine as a dietary nitrogen source for ruminants. *Journal of Animal Science*, 47:1338-1344.

NTP, National Toxicology Program (1983). Carcinogenesis Bioassay of Melamine (CAS No. 108-78-1) in F344/N Rats and B6C3F1 Mice (Feed Study). *National Toxicological Program Technical Report Series*, 245:1-171.

O

Organisation for Economic Co-operation and Development, OECD (2002). OECD SIDS Analysis UNEP Publications: Melamine. Available at:
www.inchem.org/documents/sids/sids/108781.pdf

Official Journal of the European Union (1970). Directive 70/524/EEC, 23 November 1970. L 270, 14/12/1970, 1 –17.

Official Journal of the European Union (1990) Directive 90/128/EEC, 23 February 1990. L75, 21/03/1990, 19–40.

Official Journal of the European Union (1999) Directive 1999/20/EC, 22 March 1999. L80, 25/3/1999, 20-21.

Official Journal of the European Union (2003) Regulation 2003/1831/EC, 22 September 2003. L268, 18/10/2003, 29-43.

Official Journal of the European Union (2005) Regulation 2005/1459/EC, 8 September 2005. L 233, 9/9/2005, 8-10.

Official Journal of the European Union (2006) Regulation 2006/1750/EC, 27 November 2006. L330, 28/11/2006, 9-11.

Official Journal of the European Union (2007) Directive 2007/42/EC, 29 June 2007. L72, 30/6/2007, 71-82.

Official Journal of the European Union (2008) Decision 14 October 2008. L273, 15/10/2008, 18-20.

Official Journal of the European Union (2008) Decision 26 September 2008. L259, 27/9/2008, 10-11.

Official Journal of the European Union (2008) Decision 9 December 2008. L331, 10/12/2008, 19-20.

Official Journal of the European Union. Council Directive 86/609/EEC of 24 November 1986 on the approximation of laws, regulations and administrative provisions of the Member States regarding the protection of animals used for experimental and other scientific purposes. L 358, 1–28.

Official Journal of the European Union (2007) Commission Regulation of 25 November 2009 imposing special conditions governing the import of certain products originating in or consigned from China, and repealing Commission Decision 2008/798/EC. 2009/1135/EC. L311: 3-4.

Olson W, Stevens J, Anderson J, Haggard DW (1984). Iodine toxicosis in six herds of dairy cattle. *Journal of the American Veterinary Medical Association*, 184:179–179.

P

Panigati M, Falciola L, Mussini P, Beretta G, Maffei Facino R (2007). Determination of selenium in Italian rices by differential pulse cathodic stripping voltammetry. *Food Chemistry*, 105:1091–1098.

Pennington JAT (1990). Iodine concentrations in US milk: variation due to time, season, and region. *Journal of Dairy Science*, 73:3421-3427.

Peretz A, Siderova V, Néve J (2001). Selenium supplementation in rheumatoid arthritis investigated in a double blind, placebo controlled trial. *Scandinavian Journal of Rheumatology*, 30:208-212.

Phipps RH, Grandison AS, Jones AK, Juniper DT, Ramos-Morales E, Bertin G (2008). Selenium supplementation of lactating dairy cows: effects on milk production and total selenium content and speciation in blood, milk and cheese. *Animal*, 2(11):1610–1618.

Piana G, Piva G (1974). L'impiego dell'azoto non protidico in zootecnia, *Italia Agricola*, 111 (4):1-6

Piva G, Amerio M, Moiola A, Rastelli A (1975). On the stimulation exerted by PP vitamin in the proteic synthesis given by rumen microorganisms having NPN as starter. *Annali Facoltà di Agraria U.C.S.C.*, 15:257-273.

Piva G, Maroadi A, Rastelli A (1970). Evaluation of urea, biuret and urea phosphate as NPN sources of ruminants (Research with 15N). *Annali Facoltà di Agraria U.C.S.C.*, 10:443-449.

Piva G, Silva S (1966). Ricerca del 15N nelle proteine e negli aminoacidi del latte di ruminanti sottoposti a diete contenenti fosfato biammonico marcato. *Annali Facoltà di Agraria U.C.S.C.*, 6:193-196.

Poirier KA (1994). Summary of the derivation of the reference dose for selenium. In Risk Assessment of Essential Elements, pp. 157-166 W Mertz, CO Abernathy and SS Olin, editors. Washington, DC: ILSI Press.

Puschner B, Poppenga RH, Lowenstein LJ, Filigenzi MS, Pesavento PA (2007). Assesment of melamine and cyanuric acid toxicity in cats. The *Journal of Veterinary Diagnostic Investigation*, 19:616–624.

R

Rammell CG, Thompson KG, Bentley GR, Gibbons MW (1989). Selenium, vitamin E and polyunsaturated fatty acid concentrations in goat kids with and without nutritional myodegeneration. *New Zealand Veterinary Journal*, 37:4-6.

Rao RR, Chatt A (1991). Microwave acid digestion and preconcentration neutron activation analysis of biological and diet samples for iodine. *Analytical Chemistry*, 63(13):1298–1303.

RASFF. Archive of the European Rapid Alert Sistem for Food and Feed. Available at:
http://ec.europa.eu/food/food/rapidalert/archive_en.htm

Rasmussen LB, Larse EH, Ovesen L (2002). Iodine content in drinking water and other beverages in Denmark. *European Journal of Clinical Nutrition*, 54:57-60.

Rasmussen LB, Ovesen L, Bülow I, Jørgensen T, Knudsen N, Laurberg P, Perrild H (2002). Dietary iodine intake and urinary iodine excretion in a Danish population: effect of geography, supplements and food choice. *British Journal of Nutrition*, 87:61-69.

Rayman MP (2002). The argument for increasing selenium intake. *Proceedings of the Nutrition Society*, 61:203-215.

Rayman MP (2008). The importance of selenium to human health. *The Lancet* 2000, 356:233–241.

Reimschuessel R, Giesecker CM, Miller RA, Ward J, Boehmer J, Rummel N, Heller DN, Nochetto C, Hemakanthi de Alwis GK, Bataller N, Andersen WC, Turnipseed SB, Karbiwnyk CM, Satzger RD, Crowe JB, Wilber NR, Reinhard MK, Roberts JF, Witkowski MR (2008). Evaluation of the renal effects of experimental feeding of melamine and cyanuric acid to fish and pigs. *American Journal of Veterinary Research*, 69(9):1217-1228.

Remer T, Neubert A, Manz F (1999). Increased risk of iodine deficiency with vegetarian nutrition. *British Journal of Nutrition*, 81:45-49.

Rohlf ME (1974). Improvement in NPN utilization by "slow release" or "sustained release." Proceedings of the 34th Annual Meeting, American Feed Manufacturer Association. Nutrition Council American Feed Manufacturer Association, Arlington, VA.

Rosenfeld I, Beath OA (1964). Selenium: geobotany, biochemistry, toxicity and nutrition, Academic Press, New York, 411 pp.

S

Salonen T, Halme M, Sarna S, Westermark T, Nordberg UR, Bayer W (1988). Selenium status improved among elderly due to selenium-enrichment of fertilizers in Finland. In Trace Element Metabolism in Man and Animals, vol. 6, pp. 19-20, LS Hurley, CL Keen, B LoÈnnerdal and RB Rucker, editors. New York, NY: Plenum Press.

Sandell EB, Kolthoff IM (1937). Micro determination of iodine by a catalytic method. *Microchimica Acta*, 1(1):9-25.

- Satter LD, Roffler RE (1975). Nitrogen requirement and utilization in dairy cattle. *Journal of Dairy Science*, 58(8):1219-1237.
- Sattler W, Maiorino M, Stocker R (1994). Reduction of HDL and LDL associated cholestrylester and phospholipid hydroperoxides by phospholipids hydroperoxide glutathione peroxidase and Ebselen (PZ51). *Archives of Biochemistry and Biophysics*, 309:224-221.
- Schomburg L, Schweizer U, Holtmann B, Flohe L, Sendtner M, Kohrle J (2003). Gene disruption discloses role of selenoprotein P in selenium delivery to target tissues. *Biochemistry Journal*, 370:397-402.
- Shaheen SO, Sterne JAC, Thompson RL, Songhurst CE, Margetts BM, Burney PGJ (2001). Dietary antioxidants and asthma in adults. *American Journal of Respiratory and Critical care medicine*, 164:1823-1828.
- Shelton DR, Karns JS, McCarty GW, Durham DR (1997). Metabolism of melamine by Klebsiella terragena. *Applied and Environmental Microbiology*, 63:2832-2835.
- Sieber R (1998). Use of iodized salt during cheese manufacture. *Ernährung*, 22:196-201
- Slaweta R, Wałosowicz W, Laskowska T (1988). Selenium content, glutathione peroxidase activity and lipid peroxide level in fresh bull semen and its relationship to motility of spermatozoa after freezing and thawing. *Journal of Veterinary Medicine, Animal Physiology, Pathology and Clinical Veterinary Medicine*, 35:455-460.
- Smith JL, Wishnok JS, Deen WM (1994). Metabolism and excretion of methyamines in rats. *Toxicology and Applied Pharmacology*, 125:296-308.
- Sorensen P (1962). Studies of thyroid function in cattle and pigs. In Use of Radioisotopes in Animal Biology and Medical Sciences, Vol. 1. New York: Academic Press.
- Spadoni M, Voltaggio M, Carcea M, Coni E, Raggi A, Cubadda F (2007). Bioaccessible selenium in Italian agricultural soils: Comparison of the biogeochemical approach with a regression model based on geochemical and pedoclimatic variables. *Science of the Total Environment*, 376:160-177.
- Strong LC, Rosendahl C, Johnson G, Sadowsky MJ, Wackett LP (2002). Arthrobacter aurescens TC1 metabolizes diverse s-triazine ring compounds. *Applied and Environmental Microbiology*, 68(12):5973-5980.
- Sun N, Shen Y, Sun Q, Li XR, Jia LQ, Zhang GJ, Zhang WP, Chen Z, Fan JF, Jiang YP, Feng DC, Zhang RF, Zhu XY, Xiao HZ (2008). Melamine related urinary calculus and acute renal failure in infants. *Zhonghua Er Ke Za Zhi*, 46:810-815.
- Swanson EW (1972). Effect of dietary iodine on thyroxine secretion rate of lactating cows. *Journal of Dairy Science*, 55:1763-1767.

Swanson EW, Miller JK, Mueller FJ, Patton CS, Bacon JA, Ramsey N (1990). Iodine in Milk and Meat of Dairy Cows Fed Different Amounts of Potassium Iodide or Ethylenediamine Dihydroiodide. *Journal of Dairy Science*, 73:398-405.

Swensson C, Lindmark-Mansson H (2007). Prospects of obtaining favourable mineral- and vitamin content of cows milk by feeding. *Journal of Animal and Feed Sciences*, 16(Suppl. 1):21-41.

T

Tan JA, Zheng DX, Hou SF, Zhu WY, Li RB, Zhu ZY, Wang WY (1987). Selenium ecological chemicogeography and endemic Keshan disease and Kaschin-Beck disease in China. Van Nostrand Reinhold. New York (USA).

Trinder N, Woodhouse CD, Renton CP (1969). The effect of vitamin E and selenium on the incidence of retained placentae in dairy cows. *Veterinary Record*, 85:550-553.

U

Underwood EJ (1971). Trace Elements in Human and Animal Nutrition, Third edition. Academic Press, New York, NY.

Underwood EJ, Suttle N (1999). Mineral Nutrition of Livestock, Second edition. CABI publishing, Wallingford, UK.

United States Geological Survey 2005. Nitrogen by Kramer DA. Available at: <http://minerals.usgs.gov/minerals/pubs/commodity/nitromyb04.pdf>

USDA, United States Department of Agriculture (2007). Disposition of hogs and chickens from farms identified as having received pet food scraps contaminated with melamine and melamine-related compounds and offered for slaughter. Federal Register, Vol. 72, No.103, Food Safety Inspection Service, Docket No. FSIS 2007-0018.

V

Van Dael P, Vlaemynck G, Van Renterghem R, Deelstra H (1991). Selenium content of cow's milk and its distribution in protein fractions. *Z Lebensm Unters Forsch*, 192:422-426.

Vanderpas JB, Thilly CH, Swennen B, Bourdoux P, Ntambue K, Moreno-Reyes R, Gillies J (1993). The epidemiology of iodine-deficiency disorders in relation to goitrogenic factors and thyroid-stimulating hormone regulation. *American Journal of Clinical Nutrition*, 57:267S-270S.

Vanhoe H, Van Allemersch F, Versieck J, Dams R (1993). Effect of solvent type on the determination of total iodine in milk powder and human serum by inductively coupled plasma mass spectrometry. *Analyst*, 118:1015-1019.

Varo P, Saari E, Paaso A, Koiviroinen P (1982). Iodine in Finnish foods. *International Journal of Vitamin Nutrition Research*, 52:80-89.

Virtanen AI (1971). Protein requirements of dairy cattle - artificial nitrogen sources and milk

- production. *Milchwissenschaft*, 26(3):129-38.
- Vitti P, Rago T, Aghini-Lombardi F, Pinchera A (2001). Iodine deficiency disorders in Europe. *Public Health Nutrition*, 4(2B):529-535.
- W**
Weiss WP (2005). Selenium sources for dairy cattle. Tri-State Dairy Nutrition Conference, 61-71.
- Weiss WP, Hogan JS, Smith KL, Hoblet KH (1990). Relationships among selenium, vitamin E, and mammary gland health in commercial dairy herds. *Journal of Dairy Science*, 73:381-390.
- Wen-sheng B, Jie F, Yan-hong C, Xiao-ning S, Qing D (2005). Investigation on Kaschin-Beck disease in Shitougou Village of Nenjiang County. *Chinese Journal of Epidemiology*, 24(3):318-319.
- Whitehead DC (1975). Uptake by perennial ryegrass of iodide, elemental iodine and iodate added to soil as influenced by various amendments. *Journal of the Science of Food and Agriculture*, 26:361-367.
- WHO, World Health Organization (2008). Experts set tolerable level for melamine intake. Available at: <http://www.who.int/mediacentre/news/releases/2008/pr48/en/index.html>
- WHO, FAO, IAEA expert group (1996). Trace elements in human nutrition and health. Geneva: WHO publishing.
- WHO, ICCIDD, UNICEF (2001). Iodine status worldwide. WHO Global Database on Iodine Deficiency. Available at:
<http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.101.1584&rep=rep1&type=pdf>
- Wichtel JJ, Craigie AL, Varela-Alvarez H, Williamson NB (1994). The effect of intra-ruminal selenium pellets on gate, lactation and reproductive efficiency in dairy cattle. *New Zealand Veterinary Journal*, 42:205-210.
- Wilkins JF, Hamilton BA (1980). Low release of selenium from recovered ruminal pellets. *Australian Veterinary Journal*, 56:87-89.
- Wynn M, Wynn A (2000). New nutrient intake recommendations are needed for childbearing. *Nutrition and Health*, 13:199-211.