

Bibliografia

- ❖ Abarca M.L., Bragulat M.R., Castellà G., Cabañes F.J., (1994). Ochratoxin A production by strains of *Aspergillus niger* var *niger*. *Appl. Environ. Microbiol.* **60**: 2650-2652.
- ❖ Abbas H.K. Mirocha C.J. and Tuite J. (1986). Natural occurrence of deoxynivalenol, 15-acetyl-deoxynivalenol and zearalenone in refused corn stored since 1972. *Appl. Environ. Microbiol.* **51**: 841-843.
- ❖ Abe M. e Iriki T. (1978). Effects of diet on the protozoa population in permeable conditions cultures of rumen contents. *Br. J. Nutr.* **39**: 255-264.
- ❖ Abou Akkde A.R. e Howard B.H. (1962). The biochemistry of rumen protozoa 5. The nitrogen metabolism of Entodinium. *Biochem. J.* **82**: 313-320.
- ❖ Agag B.I. (2004). Mycotoxins in foods and feeds 3-zearalenone. *Ass. Univ. Bull. Environ. Res.* **7**: 159-176.
- ❖ Akao M; Kuroda K. and Wogan G.N. (1971). Aflatoxin B₁: The kidney as a site of action in the mouse. *Life Sci.* **10**: 495-501.
- ❖ Akinrimisi E.O., Benecke B.J. and Scifart K.H. (1974). Inhibition of rat-liver RNA polymerase in vitro by aflatoxin B₁ in the presence of a microsomal fraction. *Eur. J. Biochem.* **42**: 333-339.
- ❖ Aldred D. and Magan N. (2004). Prevention strategies for tricothecenes. *Toxicology Letters* **153**: 165-171.
- ❖ Allen N.K., Mirocha C.J., Weaver G., Aakus-Allen S. and Bates F. (1981a). Effect of dietary zearalenone on finishing broiler chickens and young turkey poults. *Poult. Sci.* **6**: 124-131.
- ❖ Allen N.K., Mirocha C.J., Aakus-Allen S., Bitgood J.J., Weaver G., and Bates F. (1981b). Effect of dietary zearalenone on reproduction of chickens. *Poult. Sci.* **60**: 1165-1174.
- ❖ Allcroft R., and Roberts B.A. (1968). Toxic groundnut meal: The relationship between aflatoxin B₁ intake by cows and extraction of aflatoxin M₁ in milk. *Vet. Rec.* **82**: 116-118.
- ❖ Applebaum R.S., Brackett R.E., Wiseman D.W., and Marth. E.L. (1982). Responses of dairy cows to dietary aflatoxin: feed intake and yield toxin content, and quality of milk of cows, treated with pure or impure aflatoxin. *J. Dairy Sci.* **65**: 1503-1508.

- ❖ Appleton B.S., Goetchium M.P. and Campbell T.C. (1982). Linear dose-response curve for hepatic macromolecular binding of aflatoxin B₁ in rats at very low exposures. *Cancer Res.* **42**, 3659-3662.
- ❖ Arukwe A., Grotmol T., Haugen T.B., Knudsen F.R., Goksøyr A. (1999). A Fish model for assessing the in vivo estrogenic potency of the mycotoxin Zearalenone and its metabolites. *The Sci. of the total Environ.* **236**: 153-161.
- ❖ Asao, T., Buchi, G., Abdel-Kader, M.M., Chang, S.B., Wick, E.L., Wogan, G.N. (1963). Aflatoxin B and G. *J. Am Chem. Soc.* **85**: 1706-1707.
- ❖ Asplin F.D. and Carnaghan, R.B.A. (1961). The toxicity of certain groundnut meals for poultry with special reference of their effect on ducklings and chickens. *Vet. Rec.* **73**: 1215-1219.
- ❖ Attwater, W.A., and Busch, L.V. (1983). Role of the sap beetle *Glischrochilus quadrisignatus* in the epidemiology of giberella ear rot. *Can. J. Pl. Path.* **5**: 158-163.
- ❖ Avantaggiato G., Quaranta F., Desiderio E. and Visconti A. (2002). Fumonisin contamination of maize hybrids visibly damaged by *Sesamia*. *J Sci. Food Agric.* **83**:13-18.
- ❖ Bacha H., Maaroufi K., Achour A., Hamammi M., Ellouz F., Creppy E.E. (1993). Ochratoxines et ochratoxicoses humaines en Tunisie. In: Creppy E.E., Castegnaro M., Dirheimer G. (Eds), Human ochratoxicosis and its Pathologies. *INSERM vol 213 John Libbey Eurotext Ltd Paris.* pp 111-121.
- ❖ Badii, F., Moss, M.O. (1988). The effect of the fungicides tridemorph, fenpropimorph and fenarimol on growth and aflatoxin production by *Aspergillus parasiticus* Speare. *Lett. Appl. Microbiol.* **7**: 37-39.
- ❖ Baker D.C., and Rottinghaus G.E. (1999). Chronic experimental fumonisin intoxication of calves. *J Vet Diagn Invest* **11**:289-292.
- ❖ Baldwin R.S., Williams R.D., Terry M.K. (1983). Zeranone: a review of the metabolism, toxicology, and analytical methods for detection of tissue residues. *Regul Toxicol Pharmacol.* **3**: 9-25.
- ❖ Battacone A., Nudda A., Cannas A., Cappio Borlino A., Bomboi G. and Pulina A. (2003). Excretion of aflatoxin M₁ in milk of dairy ewes treated with different doses of aflatoxin B₁. *J. Dairy Sci.* **86**: 2667-2675.
- ❖ Bauer J., Garies M., Gedek B., Berl.(1984). Muench Tieraerztl. *Wochenschr.* **97**, 279.
- ❖ Bauer J. (1994). Möglichkeiten zur Entgiftung mykotoxinhaltiger Futtermittel. *Monatsh Veterinärmed.* **49**: 175-181.
- ❖ Bauman U., Zimmerli B. (1988). Mitt. Gebiete Lebensom Hyg. **79**: 51.

- ❖ Behere A.G., Sharma A., Padwaldesai S.R. and Nadkarin G.B. (1978). Production of aflatoxin during storage of gamma-irradiated wheat. *J. of Food Safety* **43:1102–1102**.
- ❖ Beker D., Radic B., (1991). Fast determination of ochratoxin A in serum by liquid chromatography: comparison with enzymic spectrofluorimetric method. *J. Chromatogr.* **570, 441-445**.
- ❖ Bersjö B., Herstad O., Nafstad I. (1993). Effects of feeding deoxynivalenol-contaminated oats on reproduction performance in White Leghorn hens. *Br Poult Sci* **34:147-159**.
- ❖ Betina V. (1984). Biological effects of mycotoxins. In: Betina, V. (Ed.), *Mycotoxins-Production, Isolation, Separation and purification. Elsevier, Amsterdam, The Netherlands*, pp **25-36**.
- ❖ Bezuidenhout S.C., Gelderblom W.C.A., Gorst-allman R.M.M., Marasas W.F.O., Spiteller G. and Vleggaar R. (1988). Structure elucidation of the fumonisins, mycotoxins from *fusarium moniliforme*. *J. Chem. Commun.* **11: 743-745**.
- ❖ Biehl, M.L.; Prelusky, D.B.; Koritz, G.D.; Hartin, K.E.; Buck, W.B. and Treholm, H.L. (1993) Biliary excretion and enterohepatic cycling of zearalenone in immature pigs. *Toxicol. Appl. Pharmacol.* **121: 152-159**.
- ❖ Blount W.P. (1961). Turkey “X” disease. *J. Brit. Turkey Fed.* **9: 52-54**.
- ❖ Bolger M., Cocker R.D., DiNovi M., Gaylor D., Gelderblom, W., and Olsen M. (2001). *In safety evaluation of certain mycotoxins in food*. Edited by the Fifty-sixth meeting of the Joint FAO/WHO Expert Committee on Food Additives (JECFA). FAO, Rome. pp **103-280**.
- ❖ Bongiovanni, A.M. (1983) An epidemic of premature thelarche in Puerto Rico. *J. Pediatr.* **103: 245-246**.
- ❖ Bondy G.S., Pestka J.J., (2000). Immunomodulation by fungal toxins. *J. Toxicol. Environ. Health B Crit.* **3: 109-143**.
- ❖ Boorman G.A., (1989). Toxicology and carcinogenesis studies of ochratoxin A in F344/N rats. *NTP Technical Report 358, NIH Publication.* **89: 2813**.
- ❖ Bottalico A. (1998). Fusarium diseases of cereals: species complex and related mycotoxin profiles, in Europ. *Journal of Plant Pathology.* **80: 85-103**.
- ❖ Boyd, P.A. and Wittliff, J.L. (1978) Mechanism of Fusarium mycotoxin action in mammary gland. *J. Toxicol. Environ. Health.* **4: 1-8**

- ❖ Breitholtz-Emanuelsson A., Olsen M., Oskarsson A., Palminger I., Hult K. (1993). Ochratoxin A in cow's milk and in human milk with corresponding human blood samples. *J. AOAC Int.* **76: 842-846.**
- ❖ Brown, R.L., Cleveland, T.E., Payne, G.A., Woloshuk, C.P., Campbell, K.W., White, D.G. (1995). Determination of resistance to aflatoxin production in maize kernels and detection of fungal colonization using an *Aspergillus flavus* transformant expressing *Escherichia coli* B-glucuronidase. *Phytopathology*, **85: 983-989.**
- ❖ Brera C., Debegnach F., Grossi S. and Miraglia M. (2004). Effects of industrial processing on the distribution of fumonisin B₁ in dry milling corn fractions. *Journal of Food Protection* **67: 1261-1266.**
- ❖ Breitholz-Emmanuelson A., Minervini F., Hult K., Visconti A., (1994). Ochratoxin A in human serum samples collected in southern Italy from healthy individuals and individuals suffering from different kidneys disorders. *Natural Toxin* **2: 366-370.**
- ❖ Brownie C.F. and Cullen J. (1987). Characterization of experimentally induced equine leukoencephalomalacia (ELEM) in ponies (*Equus caballus*). *Vet. Hum. Toxicol.* **29: 34-38.**
- ❖ Bucci T.J., Hansen D.K., Laborde J.B. (1996). Leukoencephalomalacia and hemorrhage in the brain of rabbits gavaged with fumonisin B₁ *Nat. Toxins* **4: 51-52.**
- ❖ Büchmann N.B. e Hald B. (1985). Analysis occurrence and control of ochratoxin A residues in Danish pig Kidney *Food Addit. Contam.* **2: 193-199.**
- ❖ Buck W.B., Haliburto J.C., Thilsted J.P., Lock T.F. and Vesonder R.F. (1979). Equine leukoencephalomalacia: comparative pathology of natural occurring and experimental cases. *Am. Assoc. Vet. Lab. Diagn.* **22: 239-258.**
- ❖ Bunge I., Dirheimer G., Rosenthaler R. (1978). In vivo and in vitro inhibition of protein synthesis in *Bacillus stearothermophilus* by ochratoxin A. *Biochem. Biophys. Res. Commun.* **83: 398-405.**
- ❖ Bunner D.L., Morris E.R. (1988). Alteration of multiple cell membrane functions in L-6 myoblasts by T-2 toxin: an important mechanism of action. *Toxicology and Applied Pharmacology* **92: 113-121.**
- ❖ Bursian S.J., Aulerich R.J., Cameron J.K., Ames N.K., Steficek B.A. (1992). Efficacy of hydrated sodium calcium aluminosilicate in reducing the toxicity of dietary zearalenone to milk. *J. Appl. Toxicol.* **12: 85-90.**
- ❖ Butler W.H. (1974). Aflatoxin. In: *Mycotoxins. Elsevier Scientific Publishers Amsterdam.* **pp 1-28.**

- ❖ Caloni F., Spotti M., Auerbach H., Op den Camp H., Fink-Gremmels J. and Pompa G. (2000). *In vitro* metabolism of fumonisin B₁ by ruminal microflora. *Vet. Res. Com.* **24: 379-387.**
- ❖ Camilo S.B., Ono C.J., Ueno Y. and Hirooka E.Y. (2000). Anti-Fusarium moniliforme activity and fumonisin biodegradation by corn and silage microflora. *Arquivos de Biologia e Tecnologia* **43: 159-164.**
- ❖ Campbell, K.W., White, D.G. (1995). Evaluation of corn genotypes for resistance to *Aspergillus* ear rot, kernel infection and aflatoxin production. *Plant Dis.* **79: 1039-1045.**
- ❖ Caramelli M., Dondo A., Cortellazzi G.C., Visconti A., Minervini F., Doko M.B. and Guarda F. (1993). Leukoencephalomalacia in the equine caused by fumonisins: first report in Italy. *Ippologia* **4: 49-56.**
- ❖ Carlton, W.W., Tuite, J. (1977). Metabolites of *P. viridicatum* toxicology. In: Rodricks, J.V., Hesseltine, C.W., Mehlam, M.A. (Eds.), *Mycotoxin in Human and Animal Health. Pathotox, Park Forest South, II: 525-541.*
- ❖ Carlton, W.W. Krogh P. (1979). Ochratoxins In Conference on Mycotoxin in Animal Feed Grain Related to Animal Health. PB 300 *Sponsored by Bureau of Veterinary Medicine. Food and drug administration.* June 8 Rockville Maryland (USA). **pp 165-287.**
- ❖ Castegnaro M., Maru V., Maru G., Rui-Lopez M.D. (1990). Highperformance liquid chromatographic determination of ochratoxin A and its 4R-4-hydroxy metabolite in human urine. *Analyst* **115: 129-131.**
- ❖ Castegnaro M., Pleština R., Dirheimer G., Chernozemsky I.N. and Bartsch H. (1991). Mycotoxins, Endemic Nephropathy and urinary tract tumours. *IARC Sci. Publ. Oxford Univ. Press. Oxford, UK.* **115.**
- ❖ Castegnaro M., Garren L., Galendo L., Gelderblom W.C.A., Chelule P., Dutton M.F., Wild C.P (1998). Analytical method for the determination of sphinganine and sphingosine in serum as a potential biomarker for fumonisin exposure. *J. of Chromatography B*, **720: 15-24.**
- ❖ Castegnaro M., Pleština R., Dirheimer G., Chernozemsky I.N., Bartsch H. (2000). Mycotoxins, endemic nephropathy and urinary tract tumours. Lyon : International agency for research on cancer, 1991. - XV, **pp 340.**

- ❖ Čeović S., Pleština R., Miletić-Medved M., Stavljenić A., Mitar J., Vukelić M. (1991). Epidemiological aspects of Balkan endemic nephropathy in a typical focus in Yugoslavia. *IARC Sci Publ* **115: 5-10.**
- ❖ Čeović S., Hrabar A., Šarić M. (1992). Epidemiology of Balkan endemic nephropathy. *Food Chem. Toxicol.* **30: 183-188.**
- ❖ Chang K., Kurtz H., and Mirocha C.J. (1979). "Am. J. Vet. Res., 40:1260-1267, In: C.J Mirocha (1983) Fusarium toxins *Proc. Int. Symp. Mycotoxins*, pp **71-77.**
- ❖ Chang C.F., Huff W.E., Hamilton P.B. (1979). A leucocytopenia induced in chickens by dietary ochratoxin A. *Poult. Sci.* **58: 555-558.**
- ❖ Chang C.F., Doerr J.A., Hamilton P.B. (1981). Experimental ochratoxicosis in turkey poults. *Poult. Sci.* **60(1) 114-119.**
- ❖ Chen S.C.G., Wei R.D., and Hisch D.P.H. (1981). Purification and some properties of chicken-liver aflatoxin B₁ reductase. *Food Cosmet. Toxicol.* **19: 19-24.**
- ❖ Chen S.Y., Chen C.J., Tsai W.Y., Ahsan H., Liu T.Y., Lin J.T. and Santella R.M. (2001). Associations of plasma aflatoxin B₁-albumin adduct level with plasma selenium level and genetic polymorphisms of glutathione S-transferase M1 and T1. *Nutrition and Cancer* **38: 179-185.**
- ❖ Chi M.S., Mirocha C.J., Kurtz H.J., Weaver G., Bates F., Shimoda W. and Burmeister H.R. (1977a). Acute toxicity of T-2 toxin in broiler chicks and laying hens. *Poultry Science* **56, 628-637.**
- ❖ Chi M.S., Mirocha C.J., Kurtz H.J., Weaver G., Bates F., and Shimoda W. (1977b). Effects of T-2 toxin on reproductive performance and health of laying. *Poultry Science* **56, 628-637.**
- ❖ Chi, M.S., T.S. Robison, C.J. Mirocha, S.P. Swanson and W. Shimoda, (1978). Excretion and tissue distribution of radioactivity from tritium-labeled T-2 toxin in chicks. *Toxicol. Appl. Pharmacol.*, **45: 391-402.**
- ❖ Chi M.S., Mirocha C.J., Kurtz H.J., Weaver G.A., Bates F., Robison T. and Shimoda W. (1980). "Effect of dietary zearalenone on growing broiler chicks." *Poult. Sci.* **59:531-536.**
- ❖ Chiavaro E., Lepiani A., Colla F., Bettoni P., Pari E., Spotti E. (2002). Ochratoxin A determination in ham by immunoaffinity clean-up and a quick fluorometric method. *Food and additives and Contaminants* **19 575-581.**

- ❖ Ch'ih J.J., Ewaskiewicz J.I., Taggart P. and Devlin T.M. (1993). Nuclear translocation of aflatoxin B₁-protein complex. *Biochem. biophys. Res. Commun.* **190: 186-191.**
- ❖ Christensen J.J., and Schneider C.L. (1950). European corn borer (*Pyrausta nubilalis*) in relation to shank, stalk and ear rots of corn. *Phytopathology* **40: 284-291.**
- ❖ Chu F.S. and Li G.Y. (1994). Simultaneous occurrence of fumonisin B₁ and other mycotoxins in mouldy corn collected from the People's Republic of China in region with high incidence of oesophageal cancer. *Appl. and Environ. Microbiol.* **60: 847-852.**
- ❖ Clarke J.R., Marquardt R.R., Frohlich A.A., Pitura R.J. (1994). Quantification of Ochratoxin A in swine kidneys by Enzyme-Linked Immunosorbent assay using a simplified sample preparation procedure *J. Food. Prot.* **57, 991-995.**
- ❖ Colvin B.M. and Harrison L.R. (1992). Fumonisin- induced pulmonary oedema and hydrothorax in swine *Mycopa-thologia.*, **117: 79-82.**
- ❖ Colvin B.M., Cooley A.J., and Beaver R.W., (1993). Fumonisin toxicosis in swine: Clinical and pathology findings. *J. Vet. Diagn. Invest.*, **5: 232-241.**
- ❖ Cook W.O., Richard J.L., Osweiler G.D., and Trampel D.W. (1986). Clinical and pathologic changes in acute bovine aflatoxicosis; Rumen motility and tissue and fluid concentration of aflatoxins B₁ and M₁. *Am. J. Vet. Res.* **47: 1817-1825.**
- ❖ Cooray R. (1984). Effects of some mycotoxins on mitogen induced blastogenesis and SCE frequency in human lymphocytes. *Food and Chemical Toxicology* **22: 529-534.**
- ❖ Coulombe R.A., Shelton D.W., Sinnhuber R.O., and Nixon J.E. (1982). Comparative mutagenicity of aflatoxins using a Salmonella/trout hepatic enzyme activation system. *Carcinogenesis* **3: 1261-1264.**
- ❖ Cooray R., and Jhonsson PP., (1990). Modulation of resistance to mastitis pathogens by treatment of mice with T-2 toxin. *Food and Chemical Toxicology* **28: 687-692.**
- ❖ Côté L.M., Oahlem A.M., Yoshizawa L., Swanson S.P., and Buck W.B. (1986). Excretion of deoxynivalenol and its metabolite in milk, urine, and feces of lactating cows. *J. Dairy Sci.* **69: 2416-2423.**
- ❖ Coulombe R.A. Jr. (1993). Symposium: Biological action of mycotoxins, *J. Dairy Sci.* **76: 880-891.**
- ❖ Creppy E.E., Kern D., Steyn P.S., Vlegaar R., Rosenthaler R. and Dirheimer G. (1983a). Comparative study of the effect of ochratoxin A analogues on yeast

aminoacyl-tRNA synthase and on the growth and on the protein synthesis of hepatoma cells. *Toxicol. Lett.* **19: 217-224.**

- ❖ Creppy E.E., Stormer F.C., Rosenthaler R. and Dirheimer G. (1983b). Effects of ochratoxin A metabolites on yeast phenylalanyl-tRNA synthase and on the growth and in vivo protein synthesis of hepatoma cells. *Chem. Biol. Interact.* **47: 239-247.**
- ❖ Creppy E.E., Chakor K., Fisher M.J. and Dirheimer G. (1984). Inhibition of protein synthesis in mice by ochratoxin A and its prevention by phenylalanine. *Food Chem. Toxicol.* **22: 883-886.**
- ❖ Creppy E.E., Kane A., Dirheimer G., Lafarge-Frayssinet C., Mousset S., Frayssinet C. (1985). Genotoxicity of ochratoxin A in mice: DNA single-strand break evaluation in spleen, liver and kidney. *Toxicol. Lett.* **28: 29-35.**
- ❖ Creppy E.E., Baudrimont I., Betbeder A.M. (1995). Prevention of nephrotoxicity of Ochratoxin A, a food contaminant. *Toxicology Letter* **82/83: 869-877.**
- ❖ Croy R.G. and Wogan G.N. (1981). Quantitative comparison of covalent aflatoxin-DNA adducts formed in rat and mouse livers and kidneys. *J. Natl. Cancer Inst.* **66: 761-768.**
- ❖ Cukrovà V., Langrova E. and Akao M. (1991). Effects of aflatoxin B₁ on myelopoiesis in vitro. *Toxicology* **70: 203-211.**
- ❖ Cukrovà V., Kurita N. and Akao M. (1992a) An early effect of aflatoxin B₁ administered in vivo on the growth of bone marrow CFU-GM and the production of some cytokines in rats. *Mycopathologia* **120: 113-119.**
- ❖ Cukrovà V., Kurita N. and Akao M. (1992b). Alterations in the growth and cycling status of granulocyte-monocyte colony-forming units (CFU-GM) in rats injected single doses of aflatoxin B₁. *Neoplasma* **39: 93-96.**
- ❖ Cupid B.C., Lightfoot T.J., Russell D., Gant S.J., Turner P.C., Dingley K.H., Curtis K.D., Leveson S.H., Turteltaub K.W., Garner R.C. (2004). The formation of AFB₁-macromolecular adducts in rats and human at dietary levels of exposure. *Food and Chem. Toxicol.* **42: 559-569.**
- ❖ Curtui V.G., Gareis M., Usleber E., and Märtilbauer E. (2001). Survey of Romanian slaughtered pigs for the occurrence of mycotoxin ochratoxin A and B, and Zearalenone. *Food Additives and Contaminants.* **18: 730-738.**
- ❖ Dalezios J. (1971). Aflatoxin P1: a new metabolite of aflatoxin B₁ its isolation and identification . PhD thesis Massachusetts Institute of Technology.

- ❖ Dalezios J., Wogan G.N., and Weinreb S.M. (1971). Aflatoxin P₁: A new aflatoxin metabolite in monkeys *Science* **171: 584-585**.
- ❖ Dann R.E., Mitscher I.A., and Couri D. (1972). The in vivo metabolism of ¹⁴C-labeled aflatoxins B₁, B₂, G₁ in rats. *Res. Commun. Chem. Pathol. Pharmacol.* **3: 667-675**.
- ❖ Davidson J.N., Babish J.G., Delaney K.A., Taylor D.R., Philips T.D. (1987). Hydrated sodium calcium aluminosilicate decrease the bioavailability of aflatoxin in the chicken. *Poult. Sci.* **66: 89**.
- ❖ De Lorenzi L., De Giovanni A., Malagutti L., Molteni L., Sciaraffia F., Tamburini A., Zanotti M. (2005). *Ital. J. Anim. Sci.* **4: 395-402**.
- ❖ D'Mello, J.P.F., MacDonald, A.M.C., Cochran, M.P. (1993). A preliminary study of the potential for mycotoxin production in barley grain. *Aspects Appl. Biol.* **36: 375-382**.
- ❖ D'Mello, J.P.F., Porter J.K., MacDonald, A.M.C., Placinta, C.M. (1997). *Fusarium mycotoxins*. In: D'Mello, J.P.F., (ED.), Handbook of Plant and Fungal Toxicants. CRC, Press, Boca Raton, FL. **pp 287-301**.
- ❖ D'Mello, J.P.F., MacDonald, A.M.C. (1997). Mycotoxins. *Anim. Feed Sci. Technol.* **69: 155-166**.
- ❖ Degene G.H., Gerber M.M., Obrecht-Pflumio S., Dirheimer G. (1997). Induction of micronuclei with ochratoxin A in ovine seminal vesicle cell cultures. *Arch. Toxicol.* **71: 365-371**.
- ❖ De Groene E.M., Hassing I.G.A.M., Blom M.J., Seinen W., Fink-Gremmels J., Horbach G.J.(1996a). Development of human cytochrome P450-expressing cell lines: Application in mutagenicity testing of ochratoxin A. *Cancer Research* **56: 299-304**.
- ❖ De Groene E.M., Jahn A., Horbach G.J., Fink-Gremmels J. (1996b). Mutagenicity and genotoxicity of the mycotoxin ochratoxin A. *Environmental Toxicology and Pharmacology.* **1: 21-26**.
- ❖ Diekman M.A. and Green M.L. (1992). "Mycotoxins and reproduction in domestic livestock" *J. Animal Sci.* **70: 1615-1627**.
- ❖ Dilkina P., Zorzetea P., Mallmann C.A., Gomesc J.D.F., Utiyama C.E., Oettinger L.L., Corrêa B. (2003) Toxicological effects of chronic low doses of aflatoxin B₁ and fumonisin B₁-containing *Fusarium moniliforme* culture material in weaned piglets. *Food and Chemical toxicology* **41:1345-1353**.

- ❖ Doerr J.A. Huff W.E., Tung H.T., Wyat R.D., Hamilton P.B. (1974). A survey of T-2 toxin, ochratoxin, and aflatoxin for their effects on the coagulation of blood in young broiler chickens. *Poult. Sci.* **53**: 1728-1734.
- ❖ Doerr J.A. (1989). Effect of aluminosilicate on broiler chickens during aflatoxicosis. *Poult. Sci.* **68**: 45.
- ❖ Doko M.B., Rapior S., Visconti A., and Schjth J.E. (1995). Incidence and levels of fumonisin contamination in maize genotypes grown in Europe and Africa. *Journal of Agriculture and Food Chemistry.* **43**: 429-434.
- ❖ Dombrink-Kurtzman M.A., (2003). Fumonisin and beauvericin induce apoptosis in turkey peripheral blood lymphocytes. *Kluwer Academic Publisher Mycopathologia* **156**: 357-364.
- ❖ Dombrink-Kurtzman M.A., Bennett G.A., and Richard J.L. (1994). An optimized MTT bioassay for determination of cytotoxicity of fumonisins in turkey lymphocytes. *J. Assoc. Off. Anal. Chem.* **77**: 512-516.
- ❖ Dombrink-Kurtzman M.A., and Dvorak, T.J. (1999). Fumonisin content in masa and tortillas from Mexico. *Journal of Agriculture and Food Chemistry.* **47**: 622-627.
- ❖ Domenech J. Boccas B., Pellegrin F., Laurent D., Kohler F., Magnol J. and Lambert C. (1984a) *Fusarium moniliforme* fusariosis of maize in New Caledonia and related equine pathology: toxic leukoencephalomalacia. *Rev. Elev. Med. Vet. Pays Trop.* **37**: 253-259.
- ❖ Domenech J. Boccas B., Pellegrin F., Laurent D., Kohler F., Magnol J. and Lambert C. (1984b). Equine leukoencephalomalacia in New Caledonia. *Aust. Vet. J.* **62**: 422-423.
- ❖ Eaton D.L., Ramsdell H.S., Neal G.E., (1994). Biotransformation of aflatoxins. In: Eaton D.L., Groopman J.D. (Eds.), *The toxicology of Aflatoxins: Human Health, Veterinary and Agricultural Significance.* *Accademic Press*, San Diego, CA, pp 45-72.
- ❖ EFESA J. (2005). Opinion of the Scientific Panel on Contaminants in Food Chain on a request from the Commission related to fumonisins as undesirable substances in animal feed. *The EFSA Journal, Request No. EFSA-Q-2003-040.* **235**, 1 - 32
- ❖ Ehrlich V., Darroudi F., Uhl M., Steinkellner H., Gann M., Majer B.J., Eisenbauer M., Knasmüller S. (2002). Genotoxic effects of ochratoxin A in human-derived hepatoma (HepG2) cells. *Food and Chemical Toxicology* **40**: 1085-1090.

- ❖ Eko-Ebongue S., Antalick J.P., Bonini M., Betbeder A.M., Faugère J.G., Maaroufi K. Bacha H., Achour M., Grosse Y., Pfohl-Leszkowicz A., Creppy E.E. (1994). Détermination des teneurs en ochratoxine A, vitamine E et vitamine A dans les sérums humains de France et de Tunisie: recherche d'une corrélation. *Annales de Falsification de l'Expertise Chimique* **929: 213-224.**
- ❖ Elsassser, T.H.; Bolt, D.J.; Bradly, B.D. and Roper, H. (1983) Lutinizing hormone, follicle stimulating hormone and prolactin secretion in ewes and wethers after zeranol or estradiol injection. *J. Anim. Sci.* **57: 443.**
- ❖ Enger P.A., Gange S.J., Dolan P.M., Groopman J.D., Muñoz A. and Kensler T.W. (1995). Levels of aflatoxin-albumin biomarkers in rat plasma are modulated by long-term and transient interventions with oltipraz. *Carcinogenesis (London)* **16:1769-1773.**
- ❖ Entwisle A.C., Jorgensen K., Williams A.C., Boenke A. and Hult K. (1997). An intercomparison of methods for the determination of Ochratoxin A in pig kidney. *Food and Additives and Contaminants.* **14: 223-236.**
- ❖ Epstein S.M., Bartus B. and Farber E. (1969). Renal epithelial neoplasm induced in male Wistar rats by oral aflatoxin B₁. *Cancer Res.* **29: 1045-1050.**
- ❖ Eriksen G.S. Pettersson H., Lundh T. (2004). Comparative cytotoxicity of deoxynivalenol, nivalenol, their acetylated derivatives and de-epoxy metabolites. *Food and Chemical Toxicology* **42: 619-624.**
- ❖ Eriksen G.S., Pettersson H., Johnsen K., Lindberg J.E. (2002). Transformation of trichothecenes in ilea digesta and faeces from pigs. *Archives of Animal Nutrition* **56: 263-274.**
- ❖ Essigmann J.M., Croy R.G., Nadzan A.M., Busby W.F. Jr., Resinold V.N., Buchi G. and Wogan G.N. (1977). Structural identification of the major DNA adduct formed by aflatoxin B₁ *in vitro*. *Proc. Natl. Acad. Sci. USA.* **74: 1870-1874.**
- ❖ Farrar, J.J., Davis, R.M. (1991). Relationships among ear morphology, western flower thrips and *Fusarium* ear rot of corn. *Phytopathology* **81: 661-666.**
- ❖ Feinberg B., McLaughlin C.S. (1989). Biochemical mechanism of action of trichothecene mycotoxin. In: Beasley, V.R. (Ed.), *Trichothecene Mycotoxicosis Pathophysiologic Effects, Volume I. CRC-Press, Boca Rata, pp 27-35.*
- ❖ Filali A., Betbeder A.M., Baudrimont I., Benayad A., Soulaymani R., Creppy E.E. (2002). Ochratoxin A in human plasma in Morocco: a preliminary survey. *Human Experimental Toxicology* **21: 241-245.**

- ❖ Foley, D.C. (1962). Systemic infection of corn by *Fusarium moniliforme*, *Phytopathology*, **68**: 1331-1335.
- ❖ Föllmann W., Hillebrand I.E., Creppy E.E., Bolt H.M. (1995). Sister chromatid exchange frequency in cultured isolated porcine urinary bladder epithelial cells (PUBEC) treated with ochratoxin A and alpha. *Archives of Toxicology* **69**: 280-286.
- ❖ Forsyth D.M., Yoshizawa T., Moronxa N. and Tuite J. (1977). Emetic and refusal activity of deoxynivalenol to swine. *Appl. Environ. Microbiol.* **34**: 547-552.
- ❖ Frank S., Renner T., Ruppert T., Scherer G. (1998). Determination of albumin adducts of (+)-anti-benzo[a]pyrene-diol-epoxide using an high-performance liquid chromatographic column switching technique for sample preparation and gas chromatography-mass spectrometry for the final detection. *J. of Chromatography B* **713**: 331-337.
- ❖ Friend D.W., Trenholm H.L., Elliot J.L., Thompson B.K. and Hartin K.E. (1982). Effect of feeding vomitoxin-contaminated wheat to pig. *Can. J. Anim. Sci.* **62**:1211-1222.
- ❖ Frobish R.A., Bradley B.D., Wagner P.E., Long-Bradley P.E., and Hariston H. (1986). Aflatoxin residues in milk of diary cows after ingestion of natural contaminated grain. *J. Food. Prot.* **49**: 781-785.
- ❖ Furtado R.M., Pearson A.M., Hogberg M.G. and Miller E.R. (1979). Aflatoxin residues in the tissues of pigs fed a contaminated diet. *J. Agric. Food Chem.* **27**: 1351-1354.
- ❖ Galtier P (1991). In: Castegnaro M., Plestina R., Dirheimer G., Chernozemsky I.N., Bartsch H. (Editor), Mycotoxins, Endemic Nephropathy and Urinary Tract Tumours, *IARC Sci. Publ. No 115, International Agency for Research on Cancer Lyon*, p. 187.
- ❖ Galtier, P. and Alvineire, M. (1976). *In vitro* transformation of ochratoxin A by animal microbial floras. *Ann. Rech. Vét.* **7**: 91-98.
- ❖ Gamer R.C., Miller E.C., and Miller J.A. (1972). Liver microsomal metabolism of aflatoxin B1 to reactive derivative toxic to *Salmonella ryphimurium* TA 1530. *Cancer Res.* **32**: 2058-2066.
- ❖ Gareis M., Martlbauer E., Bauer J., Gedek Z.(1988). Determination of ochratoxin A in human milk. *Lebensm Unters Forsch.* **186**: 114-117.
- ❖ Gareis M. (1996). Fate of ochratoxin A on processing of meat products. *Food additive and contaminants.* **13**: 35-37.

- ❖ Gareis M., Ceynowa, J. (1994). Influence of fungicide Matador (tebuconazole/triadimenol) on mycotoxin production by *Fusarium culmorum*. *Z. Lebensm.-Unters. Forsch.* **198: 244-248.**
- ❖ Garrett W.N., Heitman H., Jr. and Booth A.N. (1968). Aflatoxin toxicity in beef cattle. *Proc. Soc. Exp. Biol. Med.* **127: 188-190.**
- ❖ Gekle M., Schwerdt G., Freudinger R., Mildenerger S., Wilfingseder D., Pollack V., Dander M., Schramek H. (2000). Ochratoxin A induces JNK activation and apoptosis in MDCK-C7 cells at nanomolar concentrations. *J. Pharmacol. Exp. Ther.* **293: 837-844.**
- ❖ Gelboin H.V., Wortham J.S., Wilson R.G., Friedman M.A. and Wogan G.N.(1966). Rapid and marked inhibition of rat-liver RNA polymerase by aflatoxin B₁. *Science* **154: 1205-1206.**
- ❖ Gelderblom W.C.A., Jaskiewicz K., Marasas W.F.O., Thiel P.G., Horak R.M., Vleggar R., Kriek N.P.J. (1988). Fumonisin novel mycotoxins with cancer-promoting activity produced by *Fusarium moniliforme* *Appl. Environ. Microbiol.* **54: 1806-1811.**
- ❖ Gelderblom W.C.A., Kriek N.P.J., Marasas W.F.O. and Thiel P.G. (1991). Toxicity and carcinogenicity of the *Fusarium moniliforme* metabolite, fumonisin B₁ in rats. *Carcinogenesis* **12: 1247-1251.**
- ❖ Gelderblom W.C.A., Cawood M.E., Snyman S.D., Vleggar R. and Marasas W.F.O (1993). Structure-activity relationships in short-term carcinogenesis and cytotoxicity assay. *Food and Chem. Toxicol.* **31: 407-414.**
- ❖ Gelderblom W.C.A., Snyman S.D., Van der Westhuizen L. and Marasas W.F.O (1995). Mitoinhibitory effect of fumonisin B₁ on rat hepatocytes in primary culture. *Carcinogenesis* **16: 625-631.**
- ❖ Gillman I.G., Clark T.N., Manderville R.A. (1999). Oxidation of ochratoxin A by an Fe-porphyrin system: model for enzymatic activation and DNA cleavage. *Chem. Res. Toxicol.* **12: 1066-1076.**
- ❖ Gimeno A. Martins M.L. (2003). Fusaritomicotoxicosis comparativa entre pollos, gallinas vacas lecheras y conejos. *Albóitar* **63 :42-44.**
- ❖ Goel S., Schumacher J., Lenz S.D., and Kempainen B.W. (1996). Effects of *Fusarium moniliforme* isolates on tissue and serum sphingolipid concentrations in horses. *Vet. Human Toxicol.* **38:265-270.**

- ❖ Goerttler K., Löhrike H., Schweizer H.J. and Hesse B. (1980). Effects of aflatoxin B₁ on pregnant inbred Sprague-Dawley rats and their F₁ generation. A contribution to transplacental carcinogenesis. *J. Natl. Cancer Inst.* **64**: 1349-1354.
- ❖ Goliński P., Hult K., Grabarkiewicz-Szcżsna G., Chedkowski J., Kneblewski P. and Szebiotko K. (1984). Mycotoxic porcine nephropathy and spontaneous occurrence of ochratoxin A residues in kidneys and blood of polish swine. *Applied and Environmental Microbiology.* **47**: 1210-1212.
- ❖ Eaton D.L. and Groopman J.D. (1994). The toxicology of aflatoxins: Human Health, Veterinary, and Agricultural Significance. *San Diego, CA Academic Press INC.*
- ❖ Grosse Y., Baudrimont I., Castegnaro M., Betbeder A.M., Creppy E.E., Dirheimer G., Pfohl-Leszkowicz A. (1995). Formation of ochratoxin A metabolites and DNA-adducts in monkey cells. *Chemico-Biological Interactions* **95**: 175-187.
- ❖ Grosso F., Säid S., Mabrouk I., Fremy J.M., Castegnaro M., Jemmali M., Dragacci S. (2003). New data on the occurrence of ochratoxin A in human sera from patients affected or not by renal disease in Tunisia. *Food and Chemical Toxicology* **41**: 1133-1140.
- ❖ Gumprecht L.A., Beasley V.R., Weigel R.M., Parker H.M., Tumbleson M.E., Bacon C.W., Meredith F.I., Haschek W.M. (1998). Development of fumonisin-induced hepatotoxicity and pulmonary edema in orally dosed swine: morphological and biochemical alterations. *Toxicol Pathol* **26**:777-788.
- ❖ Gupta M., Sasmal D., Bandyopadhyay G., Bagchi T., Chatterjee T. and Dey S. (1983). Hematological changes produced in mice by ochratoxin A and citrinin. *Toxicology* **26**: 55-62.
- ❖ Gurtoo H.L., Dhams R.P. and Paigen B. (1978). Metabolic activation of aflatoxins related to their mutagenicity. *Biochem. Biophys. Res. Commun.* **81**: 965-972.
- ❖ Gurung N.K., Rankins D.L. Jr. Shelby R.A. and Goel S. (1998). Effects of fumonisin B₁-Contaminated Feeds on Weanling Angora Goats. *J. Anim. Sci.* **76**: 2863-2870.
- ❖ Gurung N.K., Darrell L. and Rankins D.L. (1999). *In vitro* ruminal disappearance of fumonisin B₁ and its effect on *in vitro* dry matter disappearance. *Vet. and Human Toxicol.* **41**: 196-199.
- ❖ Guthrie L.D. (1979). Effects of Aflatoxin in corn on production and reproduction in dairy cattle. *Proc. Annu Met U S Anim Health Assoc.* **83**: 202-204.
- ❖ Hagelberg S., Hult K. and Fuchs R. (1989). Toxicokinetics of ochratoxin A in several species and its plasma-binding properties. *J. of Appl. Toxicol.* **9**: 91-96.

- ❖ Hagler, W.M.; Mirocha, C.J. Pathre, S.V. and Behrens, J.C. (1979) Identification of the naturally occurring isomer of zearalenol produced by *Fusarium roseum* Gibbosum in rice culture. *Appl. Environ. Microbiol.* **37**: 849-853.
- ❖ Hald B. (1991). Ochratoxin A in human blood in European countries. In: Castegnaro M., Pleština M., Dirheimer G., Chernozemsky I.N., Bartsch H (Eds.), *Mycotoxin, Endemic, Nephropathy and urinary tract tumours. IARC scientific Publication* **115**: 159-164.
- ❖ Halloran H.R. (1983). *Feedstuffs.* **2**: 18.
- ❖ Hamilton R.M.G., Trenholm H.L., and Thompson B.K. (1983). Effects of feeding chicks and laying hens diets that contain vomitoxin (deoxynivalenol) contaminated wheat. *Proc. Annu. Nutr. Conf. Feed Manuf.* **19**: 48-55.
- ❖ Hamilton PB., Huff W.E., Harris J.R.,Wyatt R.D. (1982). Natural occurrences of ochratoxicosis in poultry. *Poultry Sci.* **61**: 1832-1841.
- ❖ Hamilton R.M.G., Trenholm H.L., Thompson B.K. and Greenhalgh R. (1985). The tolerance of white Leghorn and broiler chicks, and turkey poults to diets that contain deoxynivalenol (vomitoxin)-contaminated wheat. *Poultry Sci.* **64**: 273-286.
- ❖ Hannun Y., Loomis C.R., Merrill A.H. and Bell R.M. (1986). Sphingosine inhibition of protein kinase activity and phorbol dibutyrate binding *in vitro* and human platelets. *J. Biol. Chem.* **261**: 12604-12609.
- ❖ Hansen H.P. (1995). Mould in the meat processing industry. *Fleischwirtschaft* **75**: 52.
- ❖ Harley E.H., Rees K.R. and Cohen A.(1969). A comparative study of the effects of aflatoxin B₁ and actinomycin D on HeLa cells. *Biochem. J.* **114**: 289-298.
- ❖ Harel R. and Futerman A.H. (1993). Inhibition of sphingolipid synthesis affects axonal outgrowth in cultured hippocampal neurons. *J. Biol. Chem.* **268**: 14476-14481.
- ❖ Harland, E.C. and Cardeilhac, P.T. (1975) Excretion of carbon-14-labeled aflatoxin B₁ via bile, urine and intestinal contents of the chicken. *Am. J. Vet. Res.*, **36**: 909-912.
- ❖ Harrison L.R., Colvin B.M., Greene J.T., Newman L.E., Cole J.R., Jr. (1990). Pulmonary edema and hydrothorax in swine produced by fumonisin B₁, a toxic metabolite of *Fusarium moniliforme*. *J. Vet. Diagn. Invest.* **2**: 217-221.
- ❖ Haschek W.M., Motelin G., Ness D.K., Harlin K.S., Hail W.F., Vesonder R., Peterson R and Beasley V.R. (2001). Characterization of fumonisin toxicity in orally and intravenously dosed swine. *Mycopathologia.* **177**: 83-96.

- ❖ Haschek W.M., Gumprecht L.A., Smith G.W., Parker H.M., Beasley V.R., Tumbleson M.E. (1996). Effects of fumonisins in swine: implications for biomedical research. In: *Advances in Swine in Biomedical Research* (Tumbleson ME, Schook LB, eds). *New York: Plenum Press*. **99–112**.
- ❖ Haschek W.M., Motelin G., Ness D.K., Harlin K.S., Hail W.F., Vesonder R., Peterson R and Beasley V.R. (2001). Characterisation of fumonisin toxicity in orally and intravenously dosed swine. *Mycopathologia* **117**: **83-96**.
- ❖ Harvey R.B., Elissalde M.H., Kubena L.F., Weaver E.A., Corrier D.E. and Clement B.A. (1992). Immunotoxicity of ochratoxin A to growing gilts. *American Journal of Veterinary Research*. **53**: **1966-1970**.
- ❖ Hasinoff B.B., Rahimtula A.D. and Omar R.F. (1990). NADPH-cytochrome-P450 reductase promoted hydroxyl radical production by the iron (III)-ochratoxin A complex. *Biocim. Biophys. Acta*. **1032**: **78-81**.
- ❖ Haubeck H.D., Lorkowski G., Kölsch E. and Röschenthaler R. (1981). Immunosuppression by ochratoxin A and its prevention by phenylalanine. *Applied and Environmental Microbiology*. **41**: **1040-1042**.
- ❖ Hayes M.A., Bellamy J.E.C., and Schiefer H.B. (1980). Subacute toxicity of dietary T-2 toxin in mice: morphological and hematological effects. *Canadian Journal of Comparative Medicine* **44**: **203-218**.
- ❖ Helferich W.G., Garrett W.N., Hsieh D.P.H. and Baldwin R.L. (1986a). Feedlot performance and tissue residues of cattle consuming diets containing aflatoxins. *J. Animal Sci.* **62 (3)**: **691-696**.
- ❖ Helferich W.G., Baldwin R.L., and Hsieh D.P.H. (1986b). [¹⁴C]-aflatoxin B₁ metabolism in lactating goats and rats. *J. Anim. Sci.* **62 (3)**: **697-705**.
- ❖ Hendrich S., Miller K.A., Wilson T.M. and Murphy P.M. (1993). Toxicity of *Fusarium proliferatum* fermented nixtamalized corn-based diets fed to rats: effect of nutritional status. *J. Of Agric. and Food Chem.* **41**: **1649-1654**.
- ❖ Hendricks J.D., Sinnhuber R.O., Nixon J.E., Wales J.H., Masri M.S., and Hsieh D.P.H. (1980). Carcinogenic response of rainbow trout (*Salmo gairdneri*) to aflatoxin Q₁ and synergistic effect of cyclopropanoid fatty acid. *J. Natl. Cancer Inst.* **64**: **523-527**.
- ❖ Herrold K.M. (1969). Aflatoxin induced lesions in syrian hamster. *Br. J. Cancer* **23**: **655-660**.

- ❖ Hidy, P.H.; Baldwin, R.S.; Greasham, R.L.; Keith, C.L. and McMullan, J.R. (1977). Zearalenone and some derivatives, production and biological activities. *Adv. Appl. Microbiol.* **22**: 55-82.
- ❖ Höhler D., Marquardt R.R., McIntosh A.R., Xiao H. (1996). Free radical generation as induced by ochratoxin A and its analogs in bacteria (*Bacillus brevis*). *J. Biol. Chem.* **271**: 27388-27394.
- ❖ Höhler D., Marquardt R.R., Frohlich A.A. (1997a). Lipid peroxidation as one mode of action in ochratoxin A toxicity in rats and chicks. *Can J. Anim. Sci.* **77**: 287-292.
- ❖ Höhler D., Marquardt R.R., McIntosh A.R., Hatch G.M. (1997b). Induction of free radicals in hepatocytes, mitochondria and microsomes of rats by ochratoxin A and its analogs. *Biochim. Biophys. Acta.* **1357**: 225-233.
- ❖ Höhler D. (1998). Ochratoxin A in food and feed: occurrence, legislation and mode of action. *Z. Ernährungswiss.* **37**: 2-12.
- ❖ Holzapfel C.W., Steyn P.S., and Purchase I.F.H. (1966). Isolation and structure of aflatoxin M₁ and M₂. *Tet. Lett.* **25**: 2799-2803.
- ❖ Hoogenboom L.A.P., Tulliez J., Gautier J.P., Coker R.D., Melcion J.P., Nagler M.J., Polman Th. H.G. and Delort-Laval J. (2001). Absorption, distribution and excretion of aflatoxin-derived ammoniation products in lactating cows. *Food Additives and Contamination* **18**: 47-58.
- ❖ Hopmans E.C., Hauck C.C., Hendrich S. and Murphy P.A. (1997). Excretion of fumonisin B₁ hydrolyzed fumonisin B₁ and the fumonisinB₁-fructose adduct in rats. *J. of Agric. and Food Chem.* **45**: 2618-2625.
- ❖ Horie Y. (1995) Productivity of ochratoxin A of *Aspergillus carbonarius* in *Aspergillus* section *Nigri*. *Nippon Kingakukai Kaiho* **36**: 73-76.
- ❖ Howard P.C., Couch L.H., Patton R.E., Eppley R.M., Doerge D.R., Churchwell M.I., Marques M.M., Okerberg C.V. (2002). Comparison of the toxicity of several fumonisin derivatives in a 28-day feeding study with female B6C3F1 mice. *Toxicol. Appl. Pharmacol.* **185**: 153-165.
- ❖ Howert E.W., Wyatt R.D. and Hayes D.A. (1989). Equine leucoencephalomalacia in white tailed deer from North Carolina. *J. Wildl. Dis.* **25**: 384-387.
- ❖ Hult K., Plestina R., Habazin-Novak V., Radic B., Ceovic S. (1982). Ochratoxin A in human blood and Balkan endemic nephropathy *Arch. Toxicol.* **51**: 313-321.
- ❖ Hsieh D.P.H. (1987). Mode of action of mycotoxin. In: *Mycotoxin in food* Krogh P. (eds) Academic Press, Cambridge. pp 149-176.

- ❖ Hsieh D.P.H., Salhab A.S., Wong J.J., and Yang S.L. (1974). Toxicity of aflatoxin Q₁ as evaluated with the chicken embryo and bacterial auxotrophs. *Toxicol. Appl. Pharmacol.* **30**: 237-242.
- ❖ Hsu, I.-C., Smalley, E. B., Strong, F. M., Ribelin, W. E. (1972). Identification of T-2 Toxin in Moldy Corn Associated with a Lethal Toxicosis in Dairy Cattle. *Appl. Microbiol.* **24**: 684-690.
- ❖ Huff W.E., Wyatt R.D., Tucker T.L., Hamilton P.B. (1974). Ochratoxicosis in the broiler chicken. *Poult. Sci.* **53**: 1585-1591.
- ❖ Huff W.E., Hamilton P.B. (1975). The interaction of ochratoxin A with some environmental extremes. *Poultry Sci.* **54**: 1659-1662.
- ❖ Huff W.E., Wyatt R.D., Hamilton P.B. (1975). Nephrotoxicity of dietary ochratoxin A in broiler chickens. *Applied Microbiology.* **30**: 48-51.
- ❖ Huff W.E., Kubena L.F., Harvey R.B., Philips T.D. (1992). Efficacy of hydrated sodium calcium aluminosilicate to reduce the individual and combined toxicity of aflatoxin and ochratoxin A. *Poult. Sci.* **71**: 64-69.
- ❖ Hulan H.W. and Proudfoot F.W. (1982). Effects of feeding vomitoxin contaminated wheat on the performance of broiler chickens. *Poultry Sci.* **61**: 1653-1659.
- ❖ Hult K., Hokby E., Hagglund U., Gatenbeck S., Rutqvist L., Selley G. (1979). Ochratoxin A in Pig blood: Method of Analysis and use as a tool for feed studies. *Appl. Environ. Microbiol.* **38**: 772-776.
- ❖ Hult K., Teiling A., Gatenbeck, S. (1976). Degradation of ochratoxin A by a ruminant. *Appl. Environ. Microbiol.* **32**: 443-444.
- ❖ Hussein, H.S., and Brasel J.M. (2001). Toxicity, metabolism, and impact of mycotoxins on humans and animals. *Toxicology* **167**: 101-134.
- ❖ Hutchinson R.D., Steyn P.S., and Thompson D.L. (1971). The isolation and structure of 4-hydroxyochratoxin A and 7-carboxy-3, 4-dihydro-8-hydroxy-3-methylisocoumarin from *Penicillium viridicantum*. *Tetrahedron Lett.* **43**: 4033-4036.
- ❖ Huwiler A., Kolter T., Pfeilschifter J., Sandhoff K. (2000). Physiology and pathophysiology of sphingolipid metabolism and signaling. *Biochimica et Biophysica Acta.* **1485**: 63-99.
- ❖ Huwing A., Freimund S., Käppeli O., Dutler H. (2001). Mycotoxin detoxication of animal feed by different adsorbents. *Toxicol. Lett.* **122**: 179-188.

- ❖ Ihara T., Yamamoto T., Sugamata M., Okumura H., and Ueno Y. (1998). The process of ultrastructural changes from nuclei to apoptotic body. *Virchows Arch.* **433: 443-447.**
- ❖ Irvin T.R. and Wogan G.N. (1984) Quantitation of aflatoxin B₁ adduction within the ribosomal RNA gene sequences of rat liver DNA. *Proc. Natan. Acad. Sci. U.S.A.* **81: 664-668.**
- ❖ Islam Z., Nagase M., Yoshizawa T., Yamauchi K., and Sakato N (1998). T-2 toxin induces thymic apoptosis in vivo in mice. *Toxicol. Appl. Pharmacol.* **148: 205-214.**
- ❖ Jackson P.E., Groopman J.D. (1999). Aflatoxin and liver cancer. *Baillière's Clinical Gastroenterology* **4: 545-555.**
- ❖ Jacobsen B.J., Bowen K.L. Shelby R.A. Diener U.L., Kemppainen B.W. and Floyd J. (1993). Mycotoxin and mycotoxicosis circular ANR- 767. Auburn Univ. Auburn, Alabama.
- ❖ Jacobson W.C., Harmeyer W.C., Jackson J.E., Armbrrecht B. and Wiseman H.G. (1978). Transmission of aflatoxin B₁ into the tissues of growing pigs *Bull Environ Contam. Toxicol.* **18: 156-161.**
- ❖ Jagadeesan V., Rukmini C., Vijayaraghavan M., and Tulpule P.G. (1982). Immune studies with T-2 toxin ; effects of feeding and withdrawal in monkeys. *Food and Chemical Toxicology* **20: 83-87.**
- ❖ Javed T., Bennett G.A. Richard J.L., Dombink-Kurtzman M.A., Cote L.M. and Buck W.B. (1993). Mortality in broiler chicks on feed amended with *Fusarium proliferatum* culture material or with purified fumonisin B₁ and moniliformin. *Mycopathologia* **123:171-184.**
- ❖ Jiménez A.M., López de Crain A., Gonzalez-Peñas E., and Bello J. (2001). Determination of ochratoxin A in pig liver-derived pâtés by high-performance liquid chromatography. *Food Additives and Contaminants.* **18: 559-563.**
- ❖ Jørgensen K. and Petersen A.(2002). Content of ochratoxin A in paired kidney and meats samples from healthy Danish slaughter pigs. *Food Additives and Contaminants.* **19: 562-567.**
- ❖ Jones C., Janice R., Ciacci-Zanella., Zhang Y., Henderson G., and Dickman M. (2001). Analysis of fumonisin B₁ –Induced apoptosis. *Environmental Health Perspectives* **109: 315-320.**
- ❖ Jones, E.R.H. and Lowe, G. (1960). The biogenesis of tricothecene. *Chem. Soc. J.* **63: 3959-3962.**

- ❖ Kalef A., Zidane C., Charef C., Gharbi A., Tadjerouna M., Betheder A.M., Creppy E.E. (1993). Ochratoxicoses humaines en Algérie. In: Creppy E.E., Castegnaro M., Dirheimer G. (Eds.) Human Ochratoxicosis and its Pathologies. *INSERM John Libbey Eurotext Ltd, Paris* **231: 123-127.**
- ❖ Kallela K., and Etalla E. (1984). The estrogenic *Fusarium toxin* (zearalenone) in hay as a cause of early abortions in the cow. *Nord. Vet. Med.* **36: 305-309.**
- ❖ Kamp H.G., Turesky R., Schlatter J., Eisenbrand G., Janzowski C. (2005). Ochratoxin A: induction of oxidative DNA damage in primary rat tubular cells and in rats. *Arch. Pharmacol.* **369: R124-495.**
- ❖ Kane A., Creppy E.E., Roth A., Röschenthaler R., Dirheimer G. (1986). Distribution of the [³H]-label from low doses of radioactive ochratoxin A ingested by rats, and evidence for DNA-single strand breaks caused in liver and kidneys. *Toxicology* **58: 219-224.**
- ❖ Kanisawa M., Suzuki S., Kozuka Y. and Yamazaki M. (1977). Histopathological studies on the toxicity of ochratoxin A in rats. I. Acute oral toxicity. *Toxicology and Applied Pharmacology.* **42: 55-64.**
- ❖ Kawabata, Y.; Tashiro, F. and Ueno, Y. (1982) Synthesis of a specific protein induced by zearalenone and its derivatives in rat uterus. *J. Biochem.* **91: 801-808.**
- ❖ Kellerman T.S., Marasas W.F.O., Pienaar J.G. and Naude T.W. (1972). A mycotoxicosis of equidae caused by *Fusarium moniliforme*. *Onderstepoort J. Vet. Res.* **39: 205-208.**
- ❖ Kellerman T.S., Marasas W.F.O., Thiel P.G., Gelderblom W.C.A., Cawood M and Coetzer J.A.W.(1990). Leucoencephalomalacia in two horses induced by oral dosing of fumonisin B₁. *Onderstepoort J. Vet. Res.* **57: 269-275.**
- ❖ Kennedy D.G., Hewitt S.A., McEvoy J.D., Currie J.W., Cannavan A., Blanchflower W.J., Elliot C.T. (1998). Zeranol is formed from *Fusarium* sp. toxins in cattle in vivo, *Food Addit. Contam.***15: 393–400.**
- ❖ Khamis Y., Hammad H.A. and Hemeida N.A. (1986). Mycotoxicosis with estrogenic effect in cattle. *Zuchthyg.* **21: 233-236.**
- ❖ Kiermeier F., and Buchner M. (1977). On the aflatoxin M content of the cheese during ripening and storage. *Z. Lebenson Unters. Forsch.* **164: 87-91.**
- ❖ Kim M.S., Lee D.Y., Wang T., Schroeder J.J. (2001). Fumonisin B₁ induces apoptosis in LLC-PK1 renal epithelial cells via a sphinganine and calmodulin-dependent pathway. *Toxicol. Appl. Pharmacol.* **176: 118-126.**

- ❖ Kim E.K., Maragos C.M. and Kendra D.F. (2004). Liquid chromatography determination of fumonisins B1, B2 and B3 in corn siliage. *Journal of Agricultural and Food Chemistry*. **52**: 196-200.
- ❖ King R.R., McQusen R.E., Levesque D. and Greenhalgh R. (1984). Transformation of deoxynivalnol (vomitoxin) by rumen microorganism. *J. Agric. Food Chem.* **32**: 1181-1183.
- ❖ Kollarczik B., Gareis M., Hanelt M. (1994). In vitro transformation of the fusarium mycotoxins deoxynivalenol and zearalenone by the normal gut microflora of pigs. *Natural Toxins* **2**: 105-110.
- ❖ Kolter T., Sandhoff K. (1999). Angew. Chem. 111. *Angew. Chem. Int. Ed.* **38**: 1532-1568.
- ❖ Krasauskas A., Railienė M., Steponavičius D., Raila A., Steponavičienė A. (2006). The impact of natural environment and technological measures on the mycological contamination of grain. *Ekologija*. **3**: 80-87.
- ❖ Krogh P. (1992). Role of ochratoxin in disease causation. *Food Chem. Toxicol.* **30**: 213-224.
- ❖ Krogh P., Gyrd-Hanses N., Hald B., Larsen S., Nielsen J.P., Smith M et al., (1988). Renal enzyme activities in experimental ochratoxin A-induced porcine nephropathy: diagnostic potential of phosphoenolpyruvate carboxykinase and gamma-glutamyl transpeptidase activity. *J. Toxicol. Environ. Health* **23**: 1-14.
- ❖ Krog, P. (1978). Casual association of mycotoxic nephropathy. *Acta. Pathol. et. Microbiol. Scand.* **269**: 1S-28S.
- ❖ Krogh P. (1977). Ochratoxin A residues in tissue of slaughter pigs with nephropathy. *Nord Vet. Med.* **29**: 402-405.
- ❖ Krogh P., Elling F., Hald B., Larsen A.E., Lillehøj E.B., Madsen A., and Mortensen H.P. (1976). Time-dependent disappearance of ochratoxin A residues in tissues of bacon pigs. *Toxicology*. **6**: 235-242.
- ❖ Krogh P., Axelsen N.H., Gyrd-Hanses N., Hald B., Hyldgaard-Jensen J., Larsen A.E., Madsen A., and Mortensen H.P. (1974). Experimental porcine nephropathy. *Acta Pathologica et Microbiologica Scandinavica*. **246**: 1-21.
- ❖ Kubena L.F., Harvey R.B., Philips T.D., Huff W.E. (1988). Modulation of aflatoxicosis in growing chickens by dietary addition of a hydrated sodium calcium aluminosilicate. *Poult. Sci.* **67**: 106.

- ❖ Kubena L.F., Harvey R.B., Huff W.E., Corrier D.E., Philips T.D., Rottinghaus G.E. (1990). Efficacy of a hydrated sodium calcium aluminosilicate to reduce the toxicity of aflatoxin and T-2 toxin. *Poult. Sci.* **69**: 1078-1086.
- ❖ Kubena L.F., Harvey R.B., Huff W.E., Elissalde M.H., Yersin A.G., Philips T.D., Rottinghaus G.E. (1993). Efficacy of Hydrated sodium calcium aluminosilicate to reduce the toxicity of aflatoxin and diacetoxyscirpenol. *Poult. Sci.* **72**: 51-59.
- ❖ Kubena L.F., Harvey R.B., Bailey R.H., Buckley S.A., Rottinghaus G.E. (1998). Effects of hydrated sodium calcium aluminosilicate T-BindTM on mycotoxicosis in young broiler chickens. *Poult. Sci.* **77**: 1502-1509.
- ❖ Kühn I., (1993). Thesis, *Landbauforsch. Völkernrode, Sonderheft.* **137**.
- ❖ Kuiper-Goodman T., Scott P.M., Watanabe H. (1987). Risk assessment of the mycotoxin zearalenone. *Regul Toxicol Pharmacol.* **7**: 253-306.
- ❖ Kuiper-Goodman T., Ominski K., Marquardt R.R., Malcolm S., McMullen E., Lombaert G.A. and Morton T. (1993). Estimating human exposure to ochratoxin A in Canada. In: Creppy E.E., Castegnaro M. and Dirheimer G. (Eds.). Human Ochratoxicosis and its Pathologies. *Jhon Libbey Eurotext INSERM* **231**: 167-174.
- ❖ Kuiper-Goodman T. (1991). Risk assessment to humans of mycotoxins in animal-derived food products. *Vet. Hum. Toxicol.* **33**, 325-333.
- ❖ Kunimoto T., Kunimoto Y., Aibara K. and Miyaki K. (1974). Inhibition of nucleoside transport by aflatoxins and sterigmatocystin. *Cancer Res.* **34**: 968-973.
- ❖ Kurtz H.J. and Mirocha Mirocha C.J. (1978). "Zearalenone (F-2) induced estrogenic syndrome in swine." In: Sillie T.D., and Morehouse L.G. (eds) Mycotoxin fungi, Mycotoxins, Mycotoxicosis. *An. Encyclopedic Handbook, New York: Marcel Decker,* **2:260-265**.
- ❖ Lafarge C and Frayssinet C. (1970). The reversibility of inhibition of RNA and DNA synthesis induced by aflatoxin in rat liver. A tentative explanation for carcinogenic metabolism. *Int. J. Cancer* **6**: 74-83.
- ❖ Langseth W., Nymoer U., Bergsjø B. (1991). Ochratoxin A in plasma of norwegian swine determined. by an HPLC column-switching method. *Natural Toxin* **1**, 216-221.
- ❖ Lanza, G.M., Washburn, K.W., Wyatt, R.D. (1980). Variation with age in response of broilers to aflatoxin. *Poult. Sci.* **59**: 282-288.

- ❖ Laurent D., Pellegrin F., Kholer F., Costa R., Thevenon J., Lambert C., and Huerre M. (1989). Fumonisin B₁ in equine leucoencephalomalacia pathogenesis. *Microbiol. Aliment. Nutr.* **7**: 285-291.
- ❖ Lautraite S., Rio B., Guinard J., and Parent-Massin (1997). In vitro effects of diacetoxyscirpenol (DAS) on human and rat granulo-monocytic progenitors. *Micopath.* **140**: 59-64.
- ❖ Lea T., Steien K. And Störmer F. (1989). Mechanism of ochratoxin A-induced immunosuppression. *Mycopathologia* **107**: 153-159.
- ❖ Ledoux D.R., Brown T.P., Weibking T.S. and Rottinghaus G.E. 1992. Fumonisin toxicity in broiler chicks. *J Vet Diagn Invest* **4**: 330-333.
- ❖ Leeson S., Diaz G.J. and Summers J.D. (1995). Poultry metabolic disorders and mycotoxins. *University Books, Guelph, Ontario, Canada*, pp. 326-332.
- ❖ Lim C.W., Parker H.M., Vesonder R., Haschek W.M. (1996). Intravenous fumonisin B₁ induces cell proliferation and apoptosis in the rat. *Natural Toxins* **4**: 34-41.
- ❖ Lin J.K. Kennan K.A., Miller E.C., Miller J.A. (1978). Reduced nicotinamide adenine denucleotide phosphate-dependent formation of 2,3-dihydro-2,3 dihydroxy aflatoxin B₁ by hepatic microsomes. *Cancer Res.* **38**: 24-28.
- ❖ Loveland P.M., Sinnhuber R.O., Berggren K.E., Libbey L.M., Nixon J.E., and Pawlowski N.E. (1977). Formation of aflatoxin B₁ from aflatoxicol by rainbow trout (*Salmo gairdneri*) liver in vitro. *Res. Commun. Chem. Pathol. Pharmacol.* **16**: 167-170.
- ❖ Lühe A., Hildebrand H., Bach U., Dingermann T., Ahr H.J., (2003). A new approach to studying ochratoxin (OTA)-induced nephrotoxicity: expression and profiling in vivo and in vitro employing cDNA microarrays. *Toxicol. Sci.* **73**: 315-328.
- ❖ Lusky K., Tesch D. Göbel R. and Döberschütz K.D. (1994). Ochratoxin A Untersuchungen zum Rückstandsverhalten beim Schwein und daraus hergestellten Lebensmitteln. *Fleischwirtschaft* **74**: 558-560.
- ❖ Luster M.I., Germolec D.R., Burleson G.R., Jameson C.W., Ackermann M.F., Lamm K.R and Hayes H.T. (1987). Selective immunosuppression in mice of natural killer cell activity by ochratoxin A. *Cancer Research* **47**: 2259-2263.
- ❖ Maaroufi K., Achour A., Hammami M., el May M., Betbeder A.M., Ellouz F., et al., (1995a). Ochratoxin A in human blood in relation to nephropathy in Tunisia. *Hum. Exp. Toxicol.* **14**: 609-614.

- ❖ Maaroufi K., Achour A., Betbeder A.M., Hammami M., Ellouz F., Creppy E.E. et al., (1995b). Foodstuffs and human blood contamination by the mycotoxin ochratoxin A: correlation with chronic interstitial nephropathy in Tunisia. *Arch Toxicol* **69**: 552-558.
- ❖ Malaveille C., Brun G. and Bartsch H. (1994). Structure-activity studies in *E. coli* strains on ochratoxin A (OTA) and its analogues implicate a genotoxic free radical and cytotoxic thiol derivate as reactive metabolites. *Mutat. Res.* **307**: 141-147.
- ❖ Manning, R.O. and Wyatt, R.D. (1984). Effect of cold acclimation of broiler chicks on susceptibility to acute aflatoxicosis. *Poult. Sci.* **63**: 24S.
- ❖ Manolova Y., Manolov L., Parvanova L., Petkova-Bocharova M., Castegnaro M. and Chernozemsky I.N. (1990). Induction of characteristic chromosomal aberration, particularly X-trisomy, in cultured human lymphocytes treated by ochratoxin A, a mycotoxin implicated in Balkan endemic nephropathy. *Mutat. Res.* **292**: 143-149.
- ❖ Marasas W.F., Kellerman T.S., Gelderblom W.C., Pienaar J.G. and Naude T.W. (1976). Leukoencephalomalacia: a mycotoxicosis of equidae caused by *Fusarium moniliforme*. *Onderstepoort J. Vet. Res.* **43**: 113-122.
- ❖ Marasas W.F., Kellerman T.S., Gelderblom W.C., Coetzer J.A., Thiel P.G., van der Lugt J.J. (1988). Leukoencephalomalacia in a horse induced by fumonisin B₁ isolated from *Fusarium moniliforme*. *Onderstepoort J. Vet. Res.* **55**: 197-203.
- ❖ Marasas W.F.O. (1991). Toxigenic Fusaria. In: Smith J.E., Anderson, R.A (Eds.), *Mycotoxins and Animal Foods*. CRC Press, Boca Raton, FL, pp 119-139.
- ❖ Marasas W.F.O. (1995). Fumonisin: their implication for human and animal health. *Nat. Toxins* **3**: 193-198.
- ❖ Marley E.C., Nicol W.C., Candlish A.A.G., (1995). Determination of ochratoxin A by immunoaffinity column clean-up and HPLC in wheat and pig liver. *Mycotoxin Res.* **11**, 111-116.
- ❖ Marquardt R.R., and Frohlich, A.A. (1992) A review of recent advances in understanding ochratoxicosis. *J. Anim. Sci.* **70**, 3968-3988.
- ❖ Masri M.S., Garcia V.C., Page J.R., (1969). The aflatoxin M₁ content of milk from cows fed known amounts of aflatoxin. *Vet. Rec.* **84**: 146-147.
- ❖ Masri M.S., Lundin R.E., Page J.R., and Garcia V.C. (1967). Crystalline aflatoxin M₁ from urine and milk. *Nature (London)*. **215**: 753-755.

- ❖ Masimango N., Remacle J., Ramaut J. (1978). The role of adsorption in the elimination of aflatoxin B₁ from contaminated media. *Eur. J. Appl. Microbiol. Biotechnol.* **6**: 101-105.
- ❖ Mathur S., Constable P.D., Eppley R.M., Waggoner A.L., Tumbleson M.E. and Haschek W.M. (2001). Fumonisin B-1 is hepatotoxic and nephrotoxic in milk-fed calves. *Toxicol Sci* **60**:385-396.
- ❖ McNutt S.H., Purwin P. and Marray C. (1928). Vulvovaginitis in swines. *J. Am. Vet. Med. Assoc.* **73**: 484.
- ❖ Mekey F.A., Turner P.C., Ashcroft A.E., Miller J.D., Qiao Y.L., Roth M.J., Wild C.P. (2003). Development of a urinary biomarker of human exposure to deoxynivalenol. *Food and Chemical Toxicology* **41**: 265-273.
- ❖ Meneghini R. and Schumacher R.I. (1977). Aflatoxin B₁ a selective inhibitor of DNA synthesis in mammalian cells. *Chem. Biol. Interact.* **18**: 267-276.
- ❖ Merkow L.P., Epstein S.M., Slifkin M. and Pardo M. (1973). The ultrastructure of renal neoplasm induced by aflatoxin B₁. *Cancer Res.* **33**: 1608-1614.
- ❖ Merrill A.H. Jr., Wang E., Mullins R.E., Jamison W.C.L., Nimkar S., Liotta C. (1998). Quantitation of free sphingosine in liver by high-performance liquid chromatography. *Anal. Biochem.* **171**: 373-381.
- ❖ Merrill A.H., van Echten G., Wang E. and Sandhoff K. (1993a). Fumonisin B₁ inhibits sphingosine N acyltransferase and de novo sphingolipid biosynthesis in cultured neurons in situ. *J. Biol. Chem.* **268**: 27299-27306.
- ❖ Merrill A.H., Wang E., Gilchrist D.G., and Riley R.T. (1993b). Fumonisin and other inhibitors of de novo sphingolipid biosynthesis. *Adv. Lipid Res.* **26**: 215-234.
- ❖ Mertens D.R. (1977). Biological effect of mycotoxins upon rumen function in lactating dairy cows. In: "Interactions of Mycotoxins in Animal Production. *National Academy of Sciences, Washington D.C.* pp 118-136.
- ❖ Michelle McLean., and Michael F. Dutton (1995). Cellular interactions and metabolism of aflatoxin: An update. *Pharmac. Ther.* **65**: 163-192.
- ❖ Miller D.M., Wilson D.M., Wyatt R.D., McKinney J.K., Crowell W.A. Stuart B.P. (1982). High performance liquid chromatographic determination and clearance time of aflatoxin residues in swine tissues. *J. Assoc. Off. Anal Chem.* **65**: 1-4.
- ❖ Miller, J.D. (1995). Fungi and mycotoxin in grain: implication for stored product research. *Pergamon J. Stored. Prod. Res.* **1**: 1-16.

- ❖ Miller, J.D. (1994). Epidemiology of *Fusarium* ear diseases. In *Mycotoxins Grain* (Edited by Miller J.D. and Trenholm H.L.). *Eagan Press, St Paul Mn* pp **19-36**.
- ❖ Miller J.A., Miller E.C. (1977). Ultimate chemical carcinogen as reactive mutagenic electrophiles. In: Hiatt H.H., Watson J.O., Winsten J.A. (Eds). *Origin of human Cancer. Cold Spring Harbour, Spring Harbour.* pp **605-667**.
- ❖ Minervini F., Monaci L., Montagna M.T., Dragoni I., and Visconti A. (2000). On the occurrence of aflatoxin M and and toxigenic fungi in sheep and goat dairy products collected from southern Italy. *Proc 14th Natl. Congr. Società Italiana di Patologia e allevamento degli Ovini e dei Caprini. Vietri sul Mare, Salerno Italy.* pp **144-145**.
- ❖ Miraglia M., De Dominicis A., Brera C., Corneli S., Cava E., Menghetti E., Miraglia E. (1995). Ochratoxin A levels in human milk and related food samples: an exposure assessment. *Natural Toxins* **3**, **436-444**.
- ❖ Mirocha C.J., Harrison J., Nichols A.A. and McClintock M. (1968). Detection of fungal estrogen (F-2). In hay associated with infertility in dairy cattle. *Appl. Microbiol.* **16**: **797-798**.
- ❖ Mirocha C.J., Pathre S.V. and Christensen C.M. (1974). Zearalenone. *In J.V.* pp **345-364**.
- ❖ Mirocha C.J., Pathre S.V., Christensen C.M. (1977). Zearalenone. In: Rodricks J.V., Hesseltine C.W., Mehlman , M.A. (Eds), *Mycotoxin in Human and Animal Health. Pathox Pub, Park Forest South, IL* pp **345-364**.
- ❖ Mirocha C.J., Schauerhamer B., Christensen C.M., Niku-Plavola M.L. and Nummi M. (1979). "Incidence of Zearalenone in animal feed." *Appl. Environ. Microbiol.* **38**: **749**.
- ❖ Mirocha C.J., Pathre S.V., Robinson T.S. (1981). Comparative metabolism of zearalenone and trasmission into bovine milk. *Food and cosmetics Toxicology.* **19**: **25-30**.
- ❖ Mižáková A., Pipová M. and Turek P. (2001). The occurrence of moulds in fermented raw meat products. *Czech J. Food Sci.* **20**: **89-94**.
- ❖ Moore M.R., Pitot H.C., Miller E.C., Miller J.A. (1982). Cholangio-cellular carcinomas induced in syrian golden hamster administered aflatoxin B1 in large doses. *J. National Cancer Inst.* **68**: **271-278**.
- ❖ Moran E.T., Jr., Hunter D.B., and Young L.R. (1982a). Effect of vomitoxin contaminated corn on poultry production. *Proc. Maryland Nutr. Conf.* **61-65**.

- ❖ Moran E.T., Jr., Hunter D.B., Ferket P., Young L.R. and McGirr L.G. (1982b). High tolerance of broilers to vomitoxin from corn infected with *Fusarium graminearum*. *Poultry Sci.* **61**: 1828-1831.
- ❖ Mori H., Kawai K., Ohbayashi F., Kuniyasu T., Yamasaki M., Hamasaki T. and Williams G.M. (1984). Genotoxicity of a variety of mycotoxins in the hepatocyte primary culture/DNA repair test and mouse hepatocytes. *Cancer Res.* **44**: 2918-2923.
- ❖ Motelin G.K. Haschek W.M. Ness D.K. Hall W.F. Harlin K.S. Schaeffer D.J. and Beasley V.R. (1994). Temporal and dose- response features in swine fed corn screenings contaminated with fumonisin mycotoxins. *Mycopathologia*, **126**: 27- 40.
- ❖ Moss M.O. (1991). The environmental factors controlling mycotoxin formation. In: Smith, J.E., Anderson, R.A. (Eds.) *Mycotoxin and Animals Foods*. CRC Press, Boca Raton, FL, pp 37-56.
- ❖ Müller G., Kielstein P., Rosner H., Berndt A., Rosner H. (1995). Studies on the influence of ochratoxin A on immune and defense reactions in the mouse model. *Mycoses* **38**, 85-91.
- ❖ Muller H.M., Reimann J., Schumacher U., Schwadorf K. (1998). Natural occurrence of Fusarium toxins in oats harvested during five years in an area of southwest Germany. *Food and Additives Contaminants* **15**: 801-806.
- ❖ Mumpton F.A. and Fishman P.H. (1977). The application of natyral zeolites in animal sciences and acquaculture. *J. Anim. Sci.* **45**: 1188-1203.
- ❖ Murphy P.A., Hendrich S., Hopmans E.C., Hauck C.C., Lu Z., Buseman G. (1996). Effect of processing fumonisin content of corn. *Advances in Experimental and Medicine Biology*, **392**: 323-334.
- ❖ Nagata T., Suzuki H., Ishigami N., Shinozuka J., Uetsuka K., Nakayama H., Doi K., (2001). Development of apoptosis and changes in lymphocyte subsets in thymus, mesenteric lymph nodes and Peyer's patches of mice orally inoculated with T-2 toxin. *Exp. Toxicol. Pathol.* **53**: 309-315.
- ❖ Neiger R.D., Johnson T.J., Hurley D.J., Higgins K.F., Rottinghaus G.E., Stahr H (1994). The Short-Term Effect of Low Concentrations of Dietary Aflatoxin and T-2 Toxin on Mallard Ducklings. *Avian Diseases* **38**:738-743.
- ❖ Nesheim S., Stack M.E., Trucksess M.W., Eppley R.M., and Krogh P. (1992). Rapid solvent-efficient method for liquid chromatographic determination of ochratoxin A in corn, barley and kidney: collaborative study. *J. of AOAC International.* **75**: 481-487.

- ❖ Newberne P.M., Butler W.M. (1969). Acute and chronic effects of aflatoxin on the liver of domestic and laboratory animals: a review. *Cancer Res.* **29**: 236-250.
- ❖ Newberne P.M. and Rogers A.M. (1973). Rat colon carcinomas associated with aflatoxin and marginal vitamin A. *J. Natl. Cancer Inst.* **50**: 439-448.
- ❖ Newberne P.M. e Suphakarn V. (1977). Preventative role of vitamin A in colon carcinogenesis in rats. *Cancer* **40**: 2553-2556.
- ❖ Norred W.P., Wang E., Yoo H., Riley R.T. and Merrill A.H. (1992). In vitro toxicology of fumonisins and the mechanistic implications. *Mycopathologia* **117**:73-78.
- ❖ Norred W.P. (1993). Fumonisin: mycotoxins produced by *Fusarium moniliforme*. *J. Toxicol. Environ. Health* **38**: 309-328.
- ❖ Norred W.P., Bacon C.W., Porter J.K. and Voss K.A. (1990). Inhibition of protein synthesis in rat primary hepatocytes by extracts of *Fusarium moniliforme* contaminated corn. *Food Chem. Toxicol.* **28**: 89-94.
- ❖ Obrecht-Pflumio S and Dirheimer G. (2000). In vitro DNA and dGMP adducts formation caused by ochratoxin A. *Chmico-Biological Interactions.* **127**: 29-44.
- ❖ Oberheul D.G. and Dabbert C.B. (2001). Aflatoxin production in supplemental feeders provided for northern bobwhite in texas and oklahoma. *Journal of Wildlife Diseases,* **37**: 475-480.
- ❖ Olsen M., Pettersson H., Sandholm K. and Kiessling K.H. (1985). Quantitative liquid chromatographic method using fluorescence detecton for determining zearalenone and its metabolites in blood plasma and urine. *J. Assoc. Off. Anal. Chem.* **68**: 632-635.
- ❖ Olsen, M.; Mirocha, C.J.; Abbas, H.K. and Johansson, B. (1986). Metabolism of high concentrations of dietary zearalenone by young male turkey poults. *Poult. Sci.* **65**: 1905-1910.
- ❖ Omar R.F., Hasinoff B.B., Mejilla F. and Rahimtula A.D. (1990). Mechanism of ochratoxin A stimulated lipid peroxidation. *Biochem. Pharmacol.* **40**: 1183-1191.
- ❖ Omar R.F., Rahimtula A.D. and Bartsch H. (1991). Role of cytochrome P-450 in ochratoxin A-stimulated lipid peroxidation. *J. Biochem. Toxicol.* **6**: 203-209.
- ❖ Onji Y., Dohi Y., Aoki Y., Moriyama T., Nagami H., Uno M., Tanaka T., Yamazoe Y. (1989). Deepoxynivalenol: A new metabolite of nivalenol found in the excreta of orally administered rats. *J. of Agricultural and Food Chemistry.* **37**: 478-481.

- ❖ Orti D.L., Hill R.H., Liddle J.A., Needham L.L. Vickers L. (1986). High performance liquid chromatography of mycotoxin metabolites in human urine. *J. Anal. Toxicol.* **10: 41-45.**
- ❖ Ostrý V. (2001). Výskut plisni v mase a masných výrobcih (I). *Vliv na zdravi človeka. Maso*, **12: 20-24.**
- ❖ Osweiler G.D., Kehrl E., Stabel J.R., Thurston J.R., Ross P.F. and Wilson T.M. (1992). Effects of fumonisin-contaminated corn screenings on growth and health of feeder calves. *J. Anim. Sci.* **71: 459-466.**
- ❖ Özpınar H., Augonnyte G., Drochner W. (1999). Inactivation of ochratoxin in ruminal fluid with variation of pH-value and fermentation parameters in an in vitro system. *Environmental Toxicology and Pharmacology.* **7: 1-9.**
- ❖ Pace, J.G., Watts, M.R., Burrows, E.P., Dinterman, R.E., Matson, C., Hauer, E.C. & Wannemacher, R.W., Jr (1985) Fate and distribution of ³H labeled T-2 mycotoxin in guinea pigs. *Toxicol. Appl. Pharmacol.*, **80: 377-385.**
- ❖ Page R.K., Stewart G., Wyatt R., Bush P., Fletcher O.J., Brown J. (1980). Influence of low levels of ochratoxin A on egg production, egg-shell stains, and serum uric-acid levels in Leghorn-type hens. *Avian Disease.* **24: 777-780.**
- ❖ Palyusik M and Karlic-Kovacs E. (1975). Effect on laying geese of feeds containing the fusariotoxins T-2 and F-2. *Acta Vet. Acad Sci Hung.* **25:363.**
- ❖ Patterson D.S.P. and Anderson P.H. (1982). Recent aflatoxin feeding experiments in cattle. *Vet. Rec.* **110: 60-61.**
- ❖ Patterson D.S.P., Matthews J.G., Shreeve B.J., Roberts B.A., McDonald S.M. and Hayes A.W. (1979). The failure of trichothecene mycotoxins and whole cultures of *Fusarium tricinctum* to cause experimental haemorrhagic syndromes in calves and pigs. *Vet. Rec.*, **105: 252-253.**
- ❖ Patterson D.S.P., Shreeve B.J., Roberts B.A., Berrett S., Brush P.J., Glancy, E.M. and Krogh P. (1981). Effect on calves of barley naturally contaminated with ochratoxin A and groundnut meal contaminated with low concentrations of aflatoxin B₁. *Res. vet. Sci.*, **31: 213-218.**
- ❖ Patterson R., Young L.G. (1993). Efficacy of hydrated sodium calcium aluminosilicates, screening and dilution in reducing the effects of mold contaminated corn in pigs. *Can. J. Anim. Sci.* **73: 615-624.**
- ❖ Paulsch W.E., Van Egmond H. P., Schuller P.L. (1982). Proc. V. Int. JUPAC Symposium Mycotoxins and Phycotoxins. **pp. 40.**

- ❖ Paucod J.C., Krivobok S., and Vidal D. (1990). Immunotoxicity testing of mycotoxins T-2 and patulin on BALB/c mice. *Acta Microbiologica Hungarica* **37**: 331-339.
- ❖ Pavlović M., Pleština R., Krog P. (1979). Ochratoxin A contamination on foodstuffs in an area with Balkan (endemic) nephropathy. *Acta Pathol Microbiol Scand* **87**: 243-246.
- ❖ Pellegrin F., Laurent D., Kholer F., Sauviant M.P., and Platzer N. (1990). Corn fusarium associated with equine leucoencephalomalacia. *Microbiol. Aliment. Nutr.* **8**: 249-256.
- ❖ Peraica , M., Radic, B., Lucic, A., Pavlovic, M. (1999). “Toxic effect of mycotoxins in humans”. *Bull. World Health Organ.*, **77**: 754-66.
- ❖ Periera M.A., and Chang L.W. (1981). Binding of chemical carcinogens and mutagens to rat hemoglobin. *Chem. Biol. Interactions* **33**, 301-305.
- ❖ Pestka J.J., and Bondy G.S. (1990). Alteration of immune function following dietary mycotoxin exposure. *Can. J. Physiol. Pharmac.* **68**: 1009-1016.
- ❖ Pestka J.J., and Bondy G.S. (1994). Immunotoxic effects of mycotoxins. In: *Mycotoxin in Grain. Compounds Other Than Aflatoxin.* pp 339-358.
- ❖ Pestka J.J., and Dong W. (1994). Progressive serum IgE elevation in the B6C3F1 mouse following withdrawal of dietary vomitoxin (deoxynivalenol). *Fundam. Appl. Toxicol.* **23**: 314-316.
- ❖ Petkova-Bocharova T., Castegnaro M. (1985). Ochratoxin A contamination of cereals in an area of high incidence of Balkan endemic nephropathy in Bulgaria. *Food Addit Contam* **2**: 267-270.
- ❖ Petkova-Bocharova T., Chernozemsky I.N., Castegnaro M. (1988). Ochratoxin A in human blood in relation to Balkan endemic nephropathy and urinary system tumours in Bulgaria. *Food Addit Contam* **5**: 299-301.
- ❖ Pettersson H., Kiessling K.H., Cisluck P. (1982). Degradation of ochratoxin A in rumen. *V International Symposium on Mycotoxins and Phytotoxins. Vienna, Austria.* pp 313-316.
- ❖ Pfohl-Leskowicz A., Grosse Y., Kane A., Creppy E.E. and Dirheimer G. (1993). Differential DNA adduct formation and disappearance in three mouse tissue after treatment with the mycotoxin ochratoxin A. *Mutat. Res.* **289**: 265-273.
- ❖ Pfohl-Leskowicz A., Petkova-Bocharova T., Chernozemsky I.N., Castegnaro M. (2002). Balkan endemic nephropathy and the associated urinary tract tumours: review

- on etiological causes, potential role of mycotoxin. *Food Additives and Contaminants*. **5: 299-301.**
- ❖ Pienar J.G., Kellerman T.S., and Marasa W.F.O (1981). Field outbreaks of leukoencephalomalacia in horses consuming maize infected by *Fusarium verticillioides* in South Africa. *J. S. Afr. Vet. Assoc.* **52: 21-24.**
 - ❖ Pier A.C., Heddleston K.L., Cysewski S.J. and Patterson J.M. (1972). Effect of aflatoxin on immunity in turkeys. II. Reversal of impaired resistance to bacterial infection by passive supplementation. *Avian Dis.* **16: 381-387.**
 - ❖ Pier A.C. (1973). An overview of the mycotoxicoses in domestic animals. *J. Am. Vet. Med. Assoc.* **163: 1259-1261.**
 - ❖ Pier A.C., Fitchner R.E. and Cysewski S.J. (1977). Effects of aflatoxin on the cellular immune system. *Ann. Nutr. Aliment.* **31: 781-787.**
 - ❖ Pier A.C., Richard J.L. and Thurston J.R. (1980). Effects of mycotoxins on immunity and resistance of animals. In: *Natural Toxin Eaker D and Wadström T. (eds) Pergamon Press Oxford New York, Toronto Sydney Paris, Frankfurt.* **pp 691-699.**
 - ❖ Pier A.C. and McLoughlin M.E. (1985). Mycotoxic suppression of immunity. In: *Trichothecenes and other Mycotoxins Lacey J. (ed) John Wiley and Sons, Chichester.* **pp 507-519.**
 - ❖ Pier A.C. (1986). Immunomodulation in aflatoxicosis. In: *Diagnosis of Mycotoxicoses Richard J.L., and Thurston J.R. (eds) Martinus Nijhoff Publishers, Boston.* **pp 143-147.**
 - ❖ Pier A.C., Varman M.J., Dahlgren R.R., Belden E.L. and Maki L.R. (1986). Aflatoxin suppression of cell mediated immune response and interaction with T-2 toxin. In: *Mycotoxin and Phycotoxins Steyn P.S., and Vleggaar R (eds). Elsevier Scientific Publishers, Amsterdam.* **pp 423-434.**
 - ❖ Pier A.C.(1992). Major biological consequences of aflatoxicosis in animal production. *J. Anim. Sci.* **70: 3964-3967.**
 - ❖ Pitt J.I., Hocking A.D., Bhudhasamai K. Miscamble B.F., Wheeler, K.A., Tanboon Ek.P. (1993). The normal mycoflora of commodities from thailand. 1. Nuts and oilseed. *Int. J. Food Microbiol.* **20: 221-226.**
 - ❖ Pleština R., Čević S., Gatenbeck S., Habazin-Novak V., Hult K., Hokby E et al., (1990). Human exposure to ochratoxin A in areas of Yugoslavia with endemic nephropathy. *J. Environ. Pathol. Toxicol. Oncol.* **10: 145-148.**

- ❖ Prelusky Dan B., Savard Marc. E. and Locksley Trenholm H. (1995). Pilot study on the plasma pharmacokinetics of Fumonisin B1 in cows following a single dose by oral gavage or intravenous administration. *Natural Toxins* **3:389-394**.
- ❖ Pollmann D.S., Koch B.A., Seitz L.M., Mohr H.E. and Kennedy G.A. (1985). Deoxynivalenol-contaminated wheat in swine diets. *J. of Anim. Sci.* **60:239-247**.
- ❖ Potchinsky M.B and Bloom S.E. (1993). Selective aflatoxin B₁-induced sister chromatid exchanges and cytotoxicity in differentiating B and T lymphocytes in vivo. *Environ. Molec. Mutagen.* **21: 87-94**.
- ❖ Prelusky, D. B.; Hamilton, R.M.; Trenholm, H. L.; Miller, J. D., (1986). Tissue distribution and excretion of radioactivity following administration of 14C-labeled deoxynivalenol to White Leghorn hens. *Fund. Appl. Toxicol.* **7: 635-645**.
- ❖ Prelusky D.B., Veira D.M., Trenholm H.L., Foster B.C., (1987). Metabolic fate and elimination in milk, urine and bile of deoxynivalenol following administration to lactating sheep. *Journal of Environmental Science and Health* **22: 125-148**.
- ❖ Prelusky D.B., Hartin K.E., Trenholm H.L., Miller J.D. (1988). Pharmacokinetic fate of [¹⁴C]-labeled deoxynivalenol in swine. *Fundamental and Applied Toxicology* **10: 276-286**.
- ❖ Prelusky DB, Trenholm HL, Savard ME. Pharmacokinetic fate of 14C-labelled fumonisin B1 in swine (1994). *Nat Toxins* **2:73-80**.
- ❖ Prelusky DB, Miller JD, Trenholm HL (1996a). Disposition of 14C-derived residues in tissues of pigs fed radiolabelled fumonisin B1. *Food Addit Contam* **13:155-162**.
- ❖ Prelusky D.B., Trenholm H.L., Rotter B.A., Miller J.D., Savard M.E., Yeung J.M. and Scott P.M. (1996b). Biological fate of fumonisin B1 in food-producing animals. *Advances in Exp. Med. and Biol.* **392: 265-278**.
- ❖ Prior M.G. and Sisodia C.S. (1982). The effects of ochratoxin A on the immune response of Swiss mice. *Canadian Journal of Comparative Medicine* **46: 91-96**.
- ❖ Pong R.S. and Wogan G.N. (1970). Time course dose-response characteristics of aflatoxin B₁. Effects on rat liver RNA polymerase and ultrastructure. *Cancer Res.* **30: 294-304**.
- ❖ Puntarić D., Bošnjir J., Šmit Z., Škes I., Baklajić Z. (2001). Ochratoxin A in corn and wheat: Geographical association with Endemic Nephropathy. *Croatian Medical Journal Public Health* **42: 175-180**.
- ❖ Radostits O.M., Blood D.C. and Gay C.C. (1994). "Veterinary medicine." 8th ed. W.B. Saunders Co., Ltd London **pp1604-1605**.

- ❖ Rahimtula A.D., Bereziat J.C., Bussacchini-Griot V. and Bartsch H. (1988). Lipid peroxidation as a possible cause of ochratoxin A toxicity. *Biochem. Pharmacol.* **37: 4469-4477.**
- ❖ Ramos A.J., Hernandez E. (1996). In vitro aflatoxin adsorption by means of a montmorillonite silicate. A study of adsorption isotherms. *Anim. Feed Sci. Technol.* **62: 263-269.**
- ❖ Ramos A.J., Hernandez E. (1997). Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs. *A review Anim. Feed Sci. Technol.* **65: 197-206.**
- ❖ Razzazi-Fazeli E., Böhm J., Jarukamjorn K., Zentek J. (2003). Simultaneous determination of major B-trichothecenes and the-epoxy-metabolite of deoxynivalenol in pig urine and maize using high-performance liquid chromatography-mass spectrometry. *J. of Chromatography B* **796: 21-23.**
- ❖ Reddy R.V., Taylor M.J., and Sharma .R.P. (1987). Studies of immune fuction of CD-1 mice exposed to aflatoxin B₁. *Toxicology* **43: 123-132.**
- ❖ Rheeder J.P., Marasas W.F.O., Thiel P.G., Sydenham E.W., Shephard G.S. and Van Schalkwyk D.J. (1992). *Fusarium moniliforme* and fumonisins in corn in relation to human esophageal cancer in Transkei. *Phytopathology* **82: 353-357.**
- ❖ Rice L.G. and Ross P.F. (1994). Methods for detection and quantification of fumonisins in corn, cereal products and animal excreta. *J. of Food Prot.* **57: 536-540.**
- ❖ Richard J.L., Thurston J.R. and Pier A.C. (1978). Effects of mycotoxins on immunity. In: *Toxins, Animals, Plant, and Microbial.* **pp 801-817.**
- ❖ Richard J.L., Meerdink G., Maragos C.M., Tumbleson M., Bordson G., Rice L.G. and Ross P.F. (1996). Absence of detectable fumonisins in the milk of cows fed *Fusarium proliferatum* (Matsushima) Nirenberg culture material. *Mycopathologia* **133:123-126.**
- ❖ Riley R.T.; An N.H., Showker J.L., Yoo H.S., Norred W.P., Chamberlain W.J., Wang E., Merrill A.H.Jr., Motelin G., Beasley V.R. and Haschek W.M. (1993a). Alteration of tissue and serum sphinganine to sphingosine ratio: An early biomarker of exposure to fumonisin- containing feeds in pigs. *Toxicol. Appl. Pharamacol.*, **118: 105-112.**
- ❖ Riley R.T.; Hinton D.M., Chamberlain W.J., Bacon C.W., Merrill A.H., Voss K.A. (1993b). Fumonisin inhibition of sphingolipid biosynthesis: A new mechanism of nephrotoxicity. *Toxicologist Abstr.* **13: 133.**

- ❖ Riley R.T., Hinton D.M., Chamberlain W.J., Bacon C.W., Wang E., Merrill A.H. Jr, Voss K.A. (1994a). Dietary fumonisin B1 induces disruption of sphingolipid metabolism in Sprague-Dawley rats: a new mechanism of nephrotoxicity. *J Nutr* **124:594–603**.
- ❖ Riley R.T., Voss K.A., Yoo K.S., Gelderblom W.C.A., Merrill A.H. (1994b). Mechanism of fumonisin toxicity and carcinogenesis. *J. Food Prot.* **57: 528-535**.
- ❖ Riley R.T., Wang E., Merrill A.H. Jr, (1994c). Liquid chromatographic determination of sphinganine and sphingosine: Use of the free sphinganine-to-sphingosine ratio as biomarker for consumption of fumonisins. *J. AOAC. Int.* **77:533-540**.
- ❖ Riley R.T., Showker J.L., Owens D.L., Ross P.F. (1997). Disruption of sphingolipid metabolism and induction of equine leukoencephalomalacia by *Fusarium proliferatum* culture material containing fumonisin B₂ or B₃. *Environmental Toxicology and Pharmacology.* **3: 221-228**.
- ❖ Rizzo A.F., Atroshi F., Hirvi T., Saloniemi H. (1992). The hemolytic activity of deoxynivalenol and T-2 toxin. *Natural Toxins* **1: 106-110**.
- ❖ Robert D.S. and Shotwell O. (1981). Determination of aflatoxin A in animal tissues. *J. Assoc. Chem.* **64: 964-968**.
- ❖ Robison, T.S., Mirocha, C.J., Kurtz, H.J., Behrens, J.C., Weaver, G.A. & Chi, M.S. (1979a) Distribution of tritium labeled T-2 toxin in swine. *J. Agric. Food Chem.*, **27: 1411–1413**.
- ❖ Robison, T.S., Mirocha, C.J., Kurtz, H.J., Behrens, J.C., Chi, M.S., Weaver, G.A. & Nystrom, S.D. (1979b) Transmission of T-2 toxin into bovine and porcine milk. *J. Dairy Sci.*, **62: 637–641**.
- ❖ Rodricks J.V. and Stolof L. (1977). In *Mycotoxins in human and animal health*, J.V. Rodricks, C.W. Hesseltine, & M.A. Mehlman (Eds), Pathotox Publisher, Inc., Park Forest South, IL, **pp 67-79**.
- ❖ Roine K., Korpinen E.I. and Kallela K. (1971). Mycotoxicosis as a probable cause of infertility in dairy cows. *Nord Vet. Med.* **23: 628-633**.
- ❖ Romer T.R. (1983). *Feedstuffs.* **11: 30-31**.
- ❖ Rosenstein Y., Lafarge F. (1983). Inhibitory effect of fusarium T2-toxin on lymphoid DNA and protein synthesis. *Toxicology and Applied Pharmacology* **70: 283-288**.
- ❖ Ross P., Rice L.G., Plattner R.D., Osweiler G.D., Wilson T.M., Owens D.L., Nelson P.E. and Richard J.L. (1991a). Concentrations of fumonisin B1 in feeds associated with animal health problems. *Mycopathologia* **114: 129-135**.

- ❖ Ross P., Rice L.G., Reager J.C., Osweiler G.D., Wilson T.M., Nelson P.E., Owens D.L., Plattner R.D., Harlin K.A., Richard J.L., Colvin B.M and Banton M.I. (1991b). Fumonisin B₁ concentration in feeds from 45 confirmed equine encephalomalacia cases. *J. Vet. Diagn. Invest.* **3**: 238-241.
- ❖ Ross P., Ledet A.E., Owens D.L., Rice L.G., Nelson H.A., Osweiler G.D., and Wilson T.M. (1993). Experimental equine leukoencephalomalacia, toxic hepatothosis and encephalopathy caused by corn naturally contaminated with fumonisin. *J. Vet. Diagn. Invest.* **5**: 69-74.
- ❖ Rother J., van Echten G., Schwartzman G. and Sandhoff K. (1992). Biosynthesis of sphingolipids: dihydroceramide and not sphinganine is desaturated by cultured cells. *Biochem. Biophys. Res. Commun.* **189**: 14-20.
- ❖ Rotter B.A., Thompson B.K., Lessard M., Trenholm H.L. and Tryphonas H. (1994). Influence of low-level exposure to *Fusarium* mycotoxin on selected immunological and hematological parameters in young swine. *Fundam. Appl. Toxicol.* **23**:117-124.
- ❖ Rotter B.A., Prelusky D.B., Petska J.J. (1996a). Toxicology of deoxynivalenol (vomitoxin). *J. Toxicol. Environ. Health* **48**: 1-34.
- ❖ Rotter B.A., Thompson B.K., Prelusky D.B., Trenholm H.L., Stewart B., Miller J.D. and Savard M.E. (1996b). Response of growing swine to dietary exposure to pure fumonisin B₁ during an eight- week period: Growth and clinical parameters. *Nat. Toxins.*, **4**: 42-50.
- ❖ Roy A.K. (1968). Effects of aflatoxin B₁ on polysomal profiles and RNA Synthesis in rat liver. *Biochim. Biophys. Acta* **169**: 206-211.
- ❖ Rotter B.A., Thompson B.K., Prelusky D.B., Trenholm H.L., Stewart B., Miller J.D., Savard M.E. (1996). Response of growing swine to dietary exposure to pure fumonisin B₁ during an eight-week period: growth and clinical parameters. *Nat Toxins* **4**:42–50.
- ❖ Rutqvist L., Björklund N.E., Hult K., Hökby E. and Carlsson B. (1978). Ochratoxin A as the cause of spontaneous nephropathy in fattening pigs. *Applied and Environmental Microbiolog*, **36**: 920-925.
- ❖ Sabbioni G. and Wild C.P. (1991). Identification of an aflatoxin G₁-serum albumin adduct and its relevance to the measurement of human exposure to aflatoxin. *Carcinogenesis.* **12**: 97-103.

- ❖ Sabbioni G., Ambs S., Wogan G.N., and Groopman J.D. (1990). The aflatoxin-lysine adduct quantified by high-performance liquid chromatography from human serum albumin samples. *Carcinogenesis* **11**: 2063-2066.
- ❖ Sabbioni G., Skipper P.L., Büch G., and Tannebaum S.R. (1987). Isolation and characterization of the major serum albumin adduct formed by aflatoxin B₁ *in vivo* in rats. *Carcinogenesis* **vol 8 no. 6**; 819-824.
- ❖ Salhab A.S., and Edwards G.S. (1977). Comparative *in vitro* metabolism of aflatoxin by liver preparations from animals and humans. *Cancer Res.* **37**: 1016-1021.
- ❖ Salunkhe D.K., Adsule R.N. and Padule D.N. (1987). Aflatoxins in foods and feeds. *Metropolitan Book Co., New Delhi*, pp.510.
- ❖ Sargeant, K.C.R.B.A.A.R. (1963). Chemistry and origin of aflatoxins, *Chemical Ind. London*, pp 53-55.
- ❖ Sassahara M., Pontes Netto D., Yanaka E.K. (2005). Aflatoxin occurrence in foodstuff supplied to dairy cattle and aflatoxin M₁ in raw milk in the North of Paraná State. *Food and Chem. Toxicol.* **43**: 981-984.
- ❖ Saunders F.C., Barker E.A. and Smuckler E.A. (1972). Selective inhibition of nucleoplasmic rat liver-dependent RNA polymerase by aflatoxin B₁. *Cancer Res.* **32**: 2487-2494.
- ❖ Saur, L. (1991). Recherche de géniteurs de résistance a la fusariose de l'épi causée par *Fusarium culmorum* chez le blé et les espèces voisines. *Agronomie* **11**: 535-541.
- ❖ Sawhney D.S.; Vadehra D.V., and Baker R.C. (1973a) Aflatoxicosis in the laying Japanese quail. *Poult. Sci.* **52**: 485-493.
- ❖ Sawhney D.S.; Vadehra D.V. and Baker R.C. (1973b) The metabolism of ¹⁴C aflatoxins in laying hens. *Poult. Sci.* **52**: 1302-1309.
- ❖ Schaafsma, A.W., Miller, J.D., Savard, M.E., Ewing, R.J. (1993). Ear rot development and mycotoxin production in corn in relation to inoculation method, corn hybrid and species of *Fusarium*. *Can. J. Plant Pathol.* **15**: 185-192.
- ❖ Scheuer R., Dietrich R., Maertlbauer E., Gareis M., (1997). Proceedings of the 19th Mycotoxin-Workshop. *Munchen June* p.142.
- ❖ Scheuer R., (1989). Untersuchungen zum Vorkommen von Ochratoxin A. *Fleischwirtschaft* **69**: 1400-1404.
- ❖ Schmelz E.M., Dombink-Kurtzman M.A., Roberts P.C., Kozutsumi Y., Kawasaki T., Merrill A.H. (1998). Induction of apoptosis by fumonisin B₁ in HT29 cells is

- mediated by the accumulation of endogenous free sphingoid bases. *Toxicol. Appl. Pharmacol.* **148: 252-260.**
- ❖ Schroeder J.J., Crane H.M., Xia J., Liotta D.C. and Merrill A.H. (1994). Disruption of sphingolipid metabolism and stimulation of DNA synthesis by fumonisin B₁. *J. Biol. Chem.* **269: 3475-3481.**
 - ❖ Schoental R. (1970) Hepatotoxic activity retrorsine, senkirkine and hydroxysenkirkine in newborn rats, and the role of epoxides in carcinogenesis by pyrrolizidine alkaloids and aflatoxins. *Nature* **227: 401-402.**
 - ❖ Schwartz A., Rapaport E., Hirschberg K. and Futerman A.H. (1995). A regulatory role for sphingolipids in neuronal growth. Inhibition of sphingolipid biosynthesis and degradation have opposite effects on axonal branching. *J. Biol. Chem.* **270: 10990-10998.**
 - ❖ Schwerdt G., Freudinger R., Mildenerger S., Silbernagl S., Gekle M. (1999). The nephrotoxin ochratoxin A induces apoptosis in cultured human proximal tubule cells. *Cell Biol. Toxicol.* **15: 405-415.**
 - ❖ Scott, P.M. (1989). The natural occurrence of trichothecenes. In: Beasley, V.D. (Ed), *Trichothecene Mycotoxicosis: Pathophysiologic Effects, Vol I CRC Press, Boca Raton, FL, pp 1-26.*
 - ❖ Scudamore K.A., Hetmanski M.T., Chan H.K., and Colin S. (1997). Occurrence of mycotoxins in raw ingredients used for animal feeding stuffs in the United Kingdom in 1992. *Food and Additives and Contaminants.* **14:157-173.**
 - ❖ Scudamore K.A., Nawaz S. and Hetmanski M.T. (1998). Mycotoxins in ingredients of animal feeding stuffs: II. determination of mycotoxin in maize and maize products. *Food Additives and Contaminants.* **15:30-55.**
 - ❖ Scudamore K.A., Patel S. (2000). Survey for aflatoxins, ochratoxin A, zearalenone and fumonisins in maize imported into the United Kingdom. *Food Additives and Contaminants* **15: 30-55.**
 - ❖ Seefelder W., Humpf H.U., Schwerdt G., Freudinger R. and Gekle M. (2003). Induction of apoptosis in cultured human proximal tubule cells by fumonisins and fumonisin metabolites. *Toxicol. and Applied Pharmacology.* **192: 146-153.**
 - ❖ Seegers J.C., Bohemer L.H., Kruger M.C., Lottering M.L., de Kock M. (1994). A comparative study of ochratoxin A-induced apoptosis in hamster kidney and HeLa cells. *Toxicol. Appl. Pharmacol.* **129: 1-11.**

- ❖ Sephard G.S., Van der Westhuizen L., Thiel P.G., Gelderblom W.C.A., Marasas W.F.O., Van Schalkwyk D.J. (1996). Disruption of sphingolipid metabolism in non human primates consuming diet of fumonisin-containing *Fusarium moniliforme* culture material. *Toxicon* **34**: 527-534.
- ❖ Sephard G.S., Van der Westhuizen L., (1998). Liquid chromatographic determination of the sphinganine/sphingosine ratio in serum. *J. of Chromatography B.* **710**: 219-222.
- ❖ Shane S.H., (1994). Economic issues associated with aflatoxinns. In: Eaton, D.L., Groopman, J.D. (Eds.). *The Toxicology of Aflatoxins: Human Health, Veterinary, and Agricultural Significance. Academic Press, San Diego, pp 53-527.*
- ❖ Sharma R.P., Dugyala R.R., Voss K.A. (1997). Demonstration of in-situ apoptosis in mouse liver and kidney after short-term repeated exposure to fumonisin B₁. *J. Comp. Pathol.* **117**: 371-381.
- ❖ Sharaman M., MacDonald S. and Gilbert J. (1992). Automated liquid chromatographic determination of ochratoxin A in cereals and animal products using immunoaffinity column clean-up. *J. of Chromatography.* **603**: 285-289.
- ❖ Scheuer R., Dietrich R., Maertlbauer E., Gareis M., (1997). Proceedings of the 19th Mycotoxin-Workshop. *Munchen June p.142.*
- ❖ Sheabar F.Z., Groopman J.D., Qian G.S. and Wogan G.N. (1993). Quantitative analysis of aflatoxin-albumin adducts. *Carcinogenesis (Lond.)* **14**: 1203-1208.
- ❖ Shier W.T. (1992). Sphingosine analogues: an emerging new class of toxin that include fumonisins. *J. Toxicol. Toxin Rev.* **11**: 241-257.
- ❖ Shlosberg A.S., Klinger Y., Malkinson M.H. (1986). Muscovy ducklings, a particular sensitive avian bioassay for T-2 toxin and diacetoxyscirpenol. *Avian Disease* **30**:820-824.
- ❖ Shotwell, O.L. (1991). Natural occurrence of mycotoxins in corn: In: Smith, J.U.E., Henderson, R.S., (Eds.), *Mycotoxins and Animal Foods. CRC Press, Boca Raton, FL, pp 325-340.*
- ❖ Shreeve, B.J., Patterson, D.S.P., and Roberts, B.A. (1979). The carry-over of aflatoxin, ochratoxin and zearalenone from naturally contaminated feed to tissues, urine and milk of dairy cows. *Food Cosmet. Toxicol.* **17**: 151-152.
- ❖ Skipper P.L., Hutchins D.H., Turesky R.J., Sabbioni G., and Tannenbaum S.R. (1985). Carcinogen binding to serum albumin. *Proc. Am. Assoc. Cancer Res.* **26**, 356-361.

- ❖ Sklan D., Shelly M., Makovsky B., Geira A., Klipper E., Friedman A. (2003). The effect of chronic feeding of diacetoxyscirpenol and T-2 toxin on performance, health, small intestinal physiology and antibody production in turkey poult. *British Poultry Science* **44: 46-52.**
- ❖ Skipper P.L. and Tannenbaum S.R. (1990). Protein adducts in the molecular dosimetry of chemical carcinogens. *Carcinogenesis* **11: 507-518.**
- ❖ Smith G.W., Constable P.D., Eppley R.M., Tumbleson M.E., Gumbrecht L.A., Haschek W.M., (2000). Purified fumonisin B₁ decreases cardiovascular function but does not alter pulmonary capillary permeability in swine. *Toxicological Science* **56: 240-249.**
- ❖ Smith G.W., Constable P.D., Tumbleson M.E., Rottinghaus G.E., Haschek W.M. (1999). Sequence of cardiovascular changes leading to pulmonary edema in swine fed fumonisin-containing culture material. *Am J Vet Res* **60:1292-1300.**
- ❖ Smith J.C., Wesselink C., Parr J.M., Sprosen J.M., Fowke E.A., Towers N.R. and Laboyrie D. (1995). Effect of Zearalenone on ewe pregnancy rates. In: Toxicology and Food Safety. *Toxicology and Food Safety Research Group. Ruakura Research Center, Hamilton, New Zealand. pp 41-43.*
- ❖ Smith, J.E., Moss, M.O. (1985). Mycotoxins: Formation, Analysis and Significance. *John Wiley and Sons, Chichester, pp 36-41.*
- ❖ Smith, J.F., DiMenna M.E. and McGowman L.T. (1986). Effect of fusarium and Zearalenone on the reproductive performance of ewes." *Proc. New Zealand Soc. Anim. Prod.* **46:255.**
- ❖ Smith J.F., DiMenna M.E., McGowman L.T.(1990). Reproductive performance of Coopworth ewes following oral doses of zearalenone before and after mating. *J. Reprod. Fert.* **89:99-106.**
- ❖ Smith, J.E., Lewis, C.W., Anderson, J.C., and Solomons, G.L. (1994). Mycotoxins in Human health. Report EUR 16048 EN. *European Commission, Directorate-General XII, Brussels.*
- ❖ Smith J.S. and Thakur R.A. (1996). Occurrence and fate of fumonisins in beef. In: Jackson L.S., DeVries J.W., and Bullerman L.B. (Ed.) Fumonisin in Food. *Plenum Press, New York. pp 39-55.*
- ❖ Snijders C.H.A., and Perkowski, J. (1990). Effect of head blight caused by *Fusarium culmorum* on toxin production and weight of wheat kernels. *Phytopathology* **80: 566-570.**

- ❖ Solfrizzo M., Avantaggiato G., Visconti A. (1997). Rapid method to determine phinganine/sphingosine in human and animal urine as a biomarker for fumonisin exposure. *J. of Chromatography B*. **692: 87-93.**
- ❖ Solfrizzo M., Visconti A., Avantaggiato G., Torres A. and Chulze S. (2000). *In vitro* and *in vivo* studies to asses the effectiveness of cholestyramine as a binding agent for fumonisins. *Mycopathologia* **151: 147-153.**
- ❖ Sporn M.B., Dingam C.W., Phelps H.L. and Wogan G. (1966). Aflatoxin B₁: binding to DNA in vitro and alteration of RNA metabolism in vivo. *Science* **151: 1539-1541.**
- ❖ Sprosen J.M., e Towers N.R. (1995). Urinary zearalenone metabolite concentration in herds with fertility problems. In: Toxicology and Food Safety. *Toxicology and Food Safety Research Group. Ruakura Research Center, Hamilton, New Zealand.* pp **45-46.**
- ❖ Spotti M., Pompa G. and Caloni F. (2001). Fumonisin B₁ metabolism by bovine liver microsomes. *Vet. Res. Com.* **25: 511-516.**
- ❖ Sreemannarayana O., Frohlich A.A., Vitti T.G., Marquardt R.R., Abramson D. (1988). Studies of the tolerance and disposition of ochratoxin A in young calves. *J. Anim. Sci.* **66, 1703-1711.**
- ❖ Stanlei E. (2007). Food engineering applied to accommodate food regulations, quality and testing. *Submitted in February 2007 for CIBIA VI, November.*
- ❖ Steyn P., and Holzapfel, C.W. (1967). The synthesis of ochratoxin A and B metabolites of *Aspergillus ochraceus* Wilh. *Tetrahedron* **23: 4449-4461.**
- ❖ Steyn P.S. (1971). Ochratoxin and other dihydroisocoumarins. In Microbial Toxin: Fungal Toxins (A. Cielger, S. Kadis, and S.J. Ajl, Eds), *Academic Press, New York.* Vol. V, **179-205.**
- ❖ Steyn P.S. (1984). Ochratoxin and other dihydroisocoumarins. In Mycotoxin-Production, Isolation, Separation and Purification (V. Betaina, Ed), *Elsevier Amsterdam* pp **183-216.**
- ❖ Stoloff L., Verret M.J., Dantzman J., and Reynaldo E.F. (1972). Toxicological study of aflatoxin P₁ using the fertile chicken egg. *Toxicol. Appl. Pharmacol.* **23: 528-531.**
- ❖ Strange, R.N. (1991). Natural occurrence of mycotoxins in groundnuts, cottonseed, soya, and cassava. In: Smith, J.E., Henderson, R.S., (Eds.), *Mycotoxin and Animal Foods.* *CRC Press, Boca Raton , FL*, pp **341-362.**

- ❖ Sudakin D.L. (2003). Trichothecenes in the environment: relevance to human health. *Toxicology letters*, **143**: 97-107.
- ❖ Suphakarn V.S., Newberne P.M. and Goldman M. (1983). Vitamin A and aflatoxin: Effect on liver and colon cancer. *Nutr. Cancer* **5**: 41-50.
- ❖ Swanson S.P., Corley R.A. (1989). The distribution, metabolism, and excretion of trichothecene mycotoxins. In: Beasley, V.R. (Ed.), Trichothecene Mycotoxicosis Pathophysiologic Effects, Volume I. *CRC-Press, Boca Rata*, pp 37-61.
- ❖ Swanson S.P., Helaszek C., Buck W.B., Rood Jr. H.D., Haschek W.M. (1988). The role of intestinal microflora in the metabolism of trichothecene mycotoxins. *Food and Chemical Toxicology* **26**: 823-829.
- ❖ Sweeney, M.J., Dobson A.D.W. (1999). Molecular biology of mycotoxin biosynthesis. Elsevier, *FEMS Microbiology letter* **175**: 149-173.
- ❖ Swenson D.H., Miller E.C. and Miller J.A. (1974). Aflatoxin B₁-2,3-oxide: evidence for its formation in rat liver in vivo and by human liver microsomes in vitro. *Biochem. biophys. Res. Commun.* **60**: 1036-1043
- ❖ Takeda N., Akiyama Y., Shibasaki S. (1991). Solid-phase extraction and cleanup for liquid chromatographic analysis of ochratoxin A in pig serum. *Bull Environ. Contam. Toxicol.* **47**, 198-203.
- ❖ Tamm, C., and Breitenstein, W. (1984). The biosynthesis of mycotoxins. In: Steyn, P.S. (Eds.), Mycotoxins: A Study in Secondary Metabolism. *Academic Press, New York*, pp 69-91.
- ❖ Tanchev Y., Dorossiev D. (1991) The first clinical description of Balkan endemic nephropathy (1956) and its validity 35 year later. *IARC Sci Publ* **115**: 21-28.
- ❖ Tannenbaum S.R., and Skipper P.L. (1984). Biological aspects to the evaluation of risk: dosimetry in carcinogens in man. *Fundam. Appl. Toxicol.* **4**, 367- 373.
- ❖ Tarín A. Rosell M.G. Guardino X. (2004). Use of high-performance liquid chromatography to assess airborne mycotoxins aflatoxins and ochratoxin A. *Journal of Chromatography A.* **1047**, 235-240.
- ❖ Tarner P.C., Dingley K.H., Coxhead J., Russell S. and Garner C.R. (1998). Detectable levels of serum aflatoxin B₁-albumin adducts in the United Kingdom population: Implications for aflatoxin-B₁ exposure in the United Kingdom. *Cancer Epidemiology, Biomarkers & prevention.* **7**: 441-447.

- ❖ Tatu C.A., Orem W.H., Finkelman R.B., Feder G.L. (1998). The etiology of Balkan nephropathy: still more question than answers. *Environ Health Perspect* **106**: 689-700.
- ❖ Terao K., Ueno Y. (1978). Morphological and functional damage to cells and tissue. In: *Toxicology Biochemistry and Pathology of Mycotoxins*. pp 189-238.
- ❖ Thiel P.G., Sephard G.S., Sydenham E.W., Marasas W.F.O., Nelson P.E. and Wilson T.M. (1991). Levels of fumonisins B₁ and B₂ in feeds associated with confirmed cases of equine leukoencephalomalacia. *J. Agric. Food Chem.* **39**: 109-111.
- ❖ Thurston J.R., Richard J.L., Cysewski S.J., Pier A.C. and Graham C.K. (1972). Effect of aflatoxin on complement activity in guinea pigs. *Proc. Soc. Exp. Biol. Med.* **138**: 300-303.
- ❖ Thuvander A., Wikman C., and Gadhasson I. (1999). In vitro exposure of human lymphocytes to trichithecenes: Individual variation in sensitivity and effects of combined exposure on lymphocytes function. *Food and Chem. Toxicol.* **37**: 639-648.
- ❖ Tiemann U., Viergutz T., Jonas L., Schneider F. (2003a). Influence of the mycotoxins α - and β -zearalenol and deoxynivalenol on the cell cycle of cultured porcine endometrial cells. *Reproductive Toxicology* **17**: 209-218.
- ❖ Tiemann U., Tomek W., Schneider F., Vanselow J. (2003b). Effects of the mycotoxins α - and β -zearalenol on regulation of progesterone synthesis in cultured granulosa cells from porcine ovaries. *Reproductive Toxicology* **17**: 673-681.
- ❖ Tobias, S., I. Rajic and A. Vanyi, 1992. Effect of T-2 toxin on egg production and hatchability in laying hens. *Acta Vet. Hung.*, **40**: 47-54.
- ❖ Towers N.R., Sposen J.M. (1993). Zearalenone-induced infertility in sheep and cattle in New Zealand, *N.Z. Vet. J.* **41**: 223-224.
- ❖ Towers N.R., Sprosen J.M. and Webber W. (1995a). Zearalenone metabolites in cycling and non-cycling cows. In: Toxicology and Food Safety. *Toxicology and Food Safety Research Group. Ruakura Research Centre, Hamilton, New Zealand.* pp 46-47.
- ❖ Towers N.R., Wesselink C., Fowke E.A. and Sprosen J.M. (1995b). Plasma vs. urinary zearalenone concentration as indicators of zearalenone intake. In: Toxicology and Food Safety. *Toxicology and Food Safety Research Group. Ruakura Research Centre, Hamilton, New Zealand.* pp 41.
- ❖ Trenholm H.L., Cochrane W.P., Cohen H., Elliot J.I., Farnsworth E.R., Friend D.W., Hamilton R.M.G., Neish G.A. and Standish J.F. (1981). Survey of vomitoxin

- contamination of the 1980 white winter wheat crop in Ontario, Canada. *J. Am. Oil Chem. Soc.* **58: 992-994.**
- ❖ Trenholm H.L., Hamilton R.M.G., Friend D.W., Thompson B.K. and Hartin K.E. (1984). Feeding trials with vomitoxin (deoxynivalenol)-contaminated wheat: Effects in swine, poultry, and dairy cattle. *J. Am. Vet. Med. Assoc.* **185: 527-531.**
 - ❖ Trenholm H.L., Thompson B.K., Standish J.F., Seamen W.L. (1985a). Mycotoxins in feed and feedstuffs. In: Scott, P.M., Trenholm H.L., Sutton M.D. (Eds.), *Mycotoxins: A Canadian Perspective. National research Council of Canada, Ottawa, Ont.* **22848: 43-49.**
 - ❖ Trenholm H.L., Thompson B.K., Hartin K.E., Greenhalgh R. and McAllister A.J. (1985b). Ingestion of vomitoxin (deoxynivalenol)-contaminated wheat by nonlactating dairy cows. *J. Dairy Sci.* **68:1000-1005.**
 - ❖ Trenholm, H.L., Friend, D.W., Hamilton, R.M.G., Thompson, B.K., Hartin, K.E. (1986). Incidence and toxicology of deoxynivalenol as an emerging mycotoxin problem. In: Proc. VI International Conf. On the mycoses. *Pan American Health Organization, Washington, DC.*
 - ❖ Trucker T.L. and Hamilton P.B. (1971). *Poultry Science* **50:1637.**
 - ❖ Trucksess M.W. and Stoloff L. (1979). Extraction, cleanup, and quantitative determination of aflatoxin B₁ and M₁ in liver beef. *J. Assoc. Off. Anal. Chem.* **62: 1080-1082.**
 - ❖ Trucksess M.W., Stoloff L., Brumley W.C., Wilson D.M., Hale O.M., Sangster L.T., Miller D.M. (1982). Aflatoxicol and aflatoxins B₁ and M₁ in the tissues of pigs receiving aflatoxin. *J. Assoc. Off. Anal. Chem.* **65: 884-887.**
 - ❖ Trucksess MW., Richard JL., Stoloff L., McDonald JS., Brumley WC. (1983). Absorption and distribution patterns of aflatoxicol and aflatoxins B₁ and M₁ in blood and milk of cows given aflatoxin B₁. **44 (9):1753-6.**
 - ❖ Uchiyama S., Saito Y., Uchiyama M. (1985). Protein-binding of ochratoxin A and its extractability from proteinaceous *J. Food Hyg. Soc. Jpm.* **26: 651.**
 - ❖ Ueno Y. (1968). Inhibition of protein synthesis in animal cells by nivalenol and related metabolites; Toxic principles of rice infested with *Fusarium nivale*. *Proc. First U.S.-Japan Conf. Toxic Microorganism.* **pp 76-79.**
 - ❖ Ueno Y., Maki S., Lin J., Furuya M., Sugimura Y., Kawamura O. (1998). A 4-year study of plasma ochratoxin A in a selected population in Tokyo by immunoassay and immunoaffinity column-linked HPLC. *Food Chemical Toxicology* **36: 445-449.**

- ❖ Unglaub W., Holl F. (1990). Bestimmung und Gehalte von ochratoxin A in Schweineblut und -seren. *Fleishwirtschaft* **70**: 406.
- ❖ Valenta H. (1998). Chromatographic methods for the determination of ochratoxin A in animal and human tissues and fluids. *J. of Chromatography*. **815**: 75-92.
- ❖ Valenta H., Goll M. (1996). Determination of ochratoxin A in regional samples of cow's milk from Germany. *Food Addit. Contam.* **13**: 669-676
- ❖ Valenta H., Khün I., Rhor K. J. (1993). Determination of ochratoxin A in urine and faeces of swine by high-performance liquid chromatography. *J. Chromatogr.* **613**: 295-302.
- ❖ Van der Merwe, K.J., Steyn P.S. Fourie, L., Scoot, D.B., Theron, J.J. (1965 a). Ochratoxin A, a toxic metabolite produced by *Aspergillus ochraceus* Wilh. *Nature* **205**: 112-113.
- ❖ Van der Merwe, K.J., Steyn P.S., and Fourie, L. (1965 b). Mycotoxin II. The constitution of ochratoxin A, B and C, metabolites of *Aspergillus ochraceus* Will. *J. Chem. Soc.* pp 7083-7088.
- ❖ Vasanthi, S. and Bhat, R.V. (1998). Mycotoxins in foods-occurrence, health & economic significance & food control measures. *Ind. J. Med. Res.* **108**: 212-224.
- ❖ Vincelli P and Paker G (2003). Fumonisin, Vomitoxin and other Mycotoxins in corn produced by *Fusarium* fungi. *ID -121- Copyright© 2003 for materials produced by University of Kentucky Cooperative extension, Frankfort.*
- ❖ Vudathala D.K., Prelusky D.B., Ayround M., Trenholm H.L., Miller J.D. (1994). Pharmacokinetic fate and pathological effects of ¹⁴C-fumonisin B1 in laying hens. *Nat. Toxins* **2**: 81-88.
- ❖ Waldman T.A. (1977). Albumin catabolism. In: Rosenoer V.M., Oratz M., and Rothschild A (eds.) Albumin structure, function and uses. *Oxford, United Kingdom: Pergamon Press.* 257-273.
- ❖ Wafa E.W., Yahya R.S., Sobh M.A., Eraky I., El Baz M., El Gayar H.A., Betbeder A.M., Creppy E.E. (1998). Human ochratoxicosis and nephropathy in Egypt: a preliminary study. *Human Experimental Toxicology* **17**: 124-129.
- ❖ Wang E., Norred W.P., Bacon C.W., Riley R.T. and Merrill A.H. Jr. (1991). Inhibition of sphingolipid biosynthesis by fumonisins: Implications for diseases associated with *Fusarium moniliforme*. *J. Biol. Chem.* **266**: 14486-14490.
- ❖ Wang E., Ross P.F., Wilson T.M., Riley R.T. and Merrill A.H. Jr. (1992). Increases in serum sphingosine and sphinganine and decreases in complex sphingolipids in

ponies given feed containing fumonisins, mycotoxins produced by *Fusarium moniliforme*. *J. Nutr.* **122: 1706-1716.**

- ❖ WHO/FAO (World Health Organization/Food and Agriculture Organization) (2001). Ochratoxin A. In: 'Safety Evaluation of Certain Mycotoxins in Food. Prepared by the Fifty-sixth meeting of the Joint FAO/WHO Expert Committee on Food Additives (JECFA)'. WHO Food Additives Series 47; FAO Food and Nutrition Paper 74, Food and Agriculture Organization of the United Nations, Rome, Italy.
- ❖ Wild C.P., Garner R.C., Montesano R. and Tursi F. (1986). Aflatoxin B₁ binding to plasma albumin and liver DNA upon chronic administration to rats. *Carcinogenesis* **7: 853-858.**
- ❖ Wild C.P., Jiang Y.Z., Sabbioni G., Chapot B. and Montesano R. (1990). Evaluation of methods for quantitation of aflatoxin-albumin adducts and their application to human exposure assessment. *Canc. Res.* **50: 245-251.**
- ❖ Wild C.P., Hasegawa R., Barraud L., Chutimataewin S., Chapot B., Ito N and Montesano R. (1996). Aflatoxin-albumin adducts: A basis for comparative carcinogenesis between animals and human. *Cancer Epidemiol Biomarkers* **5:179-189.**
- ❖ Wilken C., Baltes W., Mehlitz I., Tiebach R., Weber Z. (1985). Ochratoxin A in pork kidneys--description of a method. *Lebensm Unters. Forsch.* **180, 496-497**
- ❖ Wilkins P.A., Vaala W.E., Zivotofsky D. and Twitchell E.D. (1994). A herd outbreak of equine leukoencephalomalacia. *Cornell Vet.* **84: 53-59.**
- ❖ Wilson B.J. and Maronpot R.R. (1971). Causative fungus agent of leukoencephalomalacia in equine animals. *Vet. Rec.* **88: 484-486.**
- ❖ Wilson B.J., Maronpot R.R. and Hildebrandt P.K. (1973). Equine leukoencephalomalacia. *J. Am. Vet. Med. Assoc.* **163: 1293-1294.**
- ❖ Wilson T.M., Nelson P.E., and Knep C.R. (1985a). Hepatic neoplastic nodules, adenofibrosis and cholangiocarcinomas in male Fisher 344 rats fed corn naturally contaminated with *fusarium moniliforme*. *Carcinogenesis* **6: 1155-1160.**
- ❖ Wilson T.M., Nelson P.E., Ryan T.B., Rouse C.D., Pittman C.W., Neal T.P., Porterfield M.L., and Saunders G.K. (1985b). Linking leukoencephalomalacia to commercial horse rations. *Vet. Med. November* **pp 63-69.**
- ❖ Wilson T.M., Ross P.F., Rice L.G., Osweiler G.D., Nelson H.A. Owens D.L., Plattner R.D., Reggiardo C., Noon T.H. and Pickrell J.W. (1990). Fumonisin B₁ levels

- associated with epizootic of equine leukoencephalomalacia. *J. Vet. Diagn. Invest.* **2**: 213-221.
- ❖ Wilson T.M., Ross P.F., and Nelson H.A. (1991). Fumonisin mycotoxins and equine leukoencephalomalacia. *J. Am. Vet. Med. Assoc.* **198**: 1104-1105.
 - ❖ Wilson T.M., Ross P.F., Owens D.L., Rice L.G., Green S.A., Jenkins S.J., and Nelson H.A. (1992). Experimental reproduction of ELEM. A study to determine the minimum toxic dose in ponies. *Mycopathologia* **117**: 115-120.
 - ❖ Wolf G. (1994). Mechanism of the mitogenic and carcinogenic action of fumonisin B1 on isolated chondrocytes and on bone formation. *Poul. Sci.* **74**: 1431-1436.
 - ❖ Voss K.A., Norred W.P., Plattner R.D. and Bacon C.W. (1989). Hepatotoxicity and renal toxicity in rats of corn samples associated with field cases of equine leukoencephalomalacia. *Food Chem. Toxicol.* **27**: 89-96.
 - ❖ Voss K.A., Howard P.C., Riley R.T., Sharma R.P., Bucci T.J., Lorentzen R.J. (2002). Carcinogenicity and mechanism of action of fumonisin B₁: a mycotoxin produced by *Fusarium moniliforme* (*F. verticillioides*). *Cancer Detection and prevention* **26**: 1-9.
 - ❖ Wang E., Norred W.P., Bacon C.W., Riley R.T. and Merrill A.H. (1991). Inhibition of sphingolipid biosynthesis with fumonisins. *J. Biol. Chem.* **266**: 14480-14490.
 - ❖ Wang E., Ross F.P., Wilson T.M., Riley R.T., Merrill A.H. Jr. (1992). Increases in serum sphingosine and sphinganine and decreases in complex sphingolipids in ponies given feed containing fumonisins, mycotoxins produced by *Fusarium moniliforme*. *J. Nutr.* **122**: 1706-1716.
 - ❖ Wang H., Jones C., Ciacci-Zanella J., Holt T., Gilchrist D.G. (1996). Fumonisin and *Alternaria alternata lycopersici* toxins: Sphinganine analog mycotoxins induce apoptosis in monkey kidney cells. *Proc. Natl Acad. Sci. USA Biochem.* **93**: 3461-3465.
 - ❖ Wang Y.Z., and Miller J.D. (1988). Screening techniques and sources of resistance to fusarium head blight. In *Wheat Production: Constraints in Tropical Environments* (Edited by Khlatt R.D), CIMMYT, Mexico, D.F pp 239-250.
 - ❖ Wannemacher, R.W., Bunker, D.L., Neufeld, H.A. (1991). Toxicity of thricothecenes and other related mycotoxins in laboratory animals. In: *Smith, J.E., Anderson, R.A. (Eds.), Mycotoxin and animal foods. CRC Press, Boca Raton, FL, pp 499-552.*
 - ❖ Wei C.M., McLaughlin C.S. (1974). Structure-function relationship in the 12,13-epoxytrichothecenes. Novel inhibitors of protein synthesis. *Biochemical and Biophysical Research Communications.* **57**: 838-844.

- ❖ Wei Y.H., Lu C.Y., Lin T.N. and Wei R.D. (1985). Effect of ochratoxin A on rat liver mitochondrial respiration and oxidative phosphorylation. *Toxicology*. **36: 119-130.**
- ❖ Weibking, T. S., D. R. Ledoux, A. J. Bermudez, and G. E. Rottinghaus, E. Wang, and A. H. Merrill, Jr., 1993a. Effects of feeding *Fusarium moniliforme* culture material, containing known levels of fumonisin B1, on the young broiler chick. *Poultry Sci.* **72:456-466.**
- ❖ Wicklow, D.T. (1994). The mycology stored grain: an ecological perspective. In *Mycology of Stored Grain Ecosystems* (Edited by Javas D.S., White, N.D.G. and Muir W.E.). *Dekker, New York. In press.*
- ❖ Wild C.P., Garner R.C., Montesano R. and Tursi F. (1986). Aflatoxin B1 binding to plasma albumin and liver DNA upon chronic administration to rats. *Carcinogenesis* **7, 853-858.**
- ❖ Windels C.E., Windels, M.B. and Khommedhal T. (1976). Association of *Fusarium* species with picnic beetles on corn ears. *Phytopathology* **66: 328-331.**
- ❖ Wogan G.N., and Newberne P.M. (1967). Dose-response characteristics of aflatoxin B₁ carcinogenesis in the rat. *Cancer Res.* **27: 2370-2376.**
- ❖ Wogan G.N., Paglialunga S. and Newberne P.M. (1974). Carcinogenic effects of low dietary levels of aflatoxin B₁ in rats. *Food Chem. Toxicol.* **12: 681-685.**
- ❖ Wong Z.A., Decad G.M., Byard J.I., and Hsich D.P.H. (1979). Conversion of aflatoxicol to aflatoxin B₁ in rats in vivo and in primary hepatocyte culture. *Food Cosmet. Toxicol.* **17: 481-486.**
- ❖ Wong Z.A., and Hsich D.P.H. (1980). The comparative metabolism and toxicol to aflatoxin B₁ in rats in vivo and in primary hepatocyte culture. *Food Cosmet. Toxicol.* **17: 481-486.**
- ❖ World Health Organization, I.P.C.S., 1990. Trichothecenes. In: Selected Mycotoxins: Ochratoxins, Trichothecenes, Ergot. *World Health Organization. Geneva.*
- ❖ Xiao H., Marquiardt, R.R., Frohlich A.A., and Ling Y.Z. (1995). Synthesis and structural elucidation of analogs of ochratoxin A. *J. Agric. Food Chem.* **43: 524-530.**
- ❖ Xiao H., Madhyasta, S., Marquiardt, R.R., Li. S., Vodela J.K., Frohlich A.A., and Kempainen, B.W. (1996). Toxicity of ochratoxin A, its opened lactone form and several of its analogs: Structure-activity relationships. *Toxicol. Appl. Pharmacol.* **137: 182-192.**

- ❖ Xiao H., Marquardt R.R., Frohlic A.A., Philips G.D., Vitti T.G. (1991). Effect of hay and grain diet on the rate of hydrolysis of ochratoxin A in the rumen of sheep. *J. Anim. Sci.* **69**: 3706-3714.
- ❖ Yagen B., Bialer M. (1993). Metabolism and pharmacokinetics of T-2 toxin and related trichothecenes. *Drug. Metab. Rev.* **154**: 139-152.
- ❖ Yarom R., Sherman Y., More R., Ginsburg I., Borinski R., and Yagen B. (1984). T-2 toxin effect on bacterial infection and leukocyte functions. *Toxicology and Applied Pharmacology* **75**: 60-68.
- ❖ Yiannikouris A. e Jouany J.P. (2002). Mycotoxins in feeds and their fate in animals: a review. *Anim. Res.* **51**: 81-99.
- ❖ Yoo H.S., Norred W.P., Wang E., Merrill A.H. and Riley R.(1992). Fumonisin inhibition of de novo sphingolipid biosynthesis and cytotoxicity are correlated in LLC-PK1 cells. *Toxicol. Appl. Pharmacol.* **114**: 9-15.
- ❖ Yoshizawa, T., Mirocha, C.J., Behrens, J.C. & Swanson, S.P. (1981) Metabolic fate of T-2 toxin in a lactating cow. *Food Cosmet. Toxicol.*, **19**: 31-39.
- ❖ Yoshizawa T., Takeda H., Ohi T. (1983). Structure of a novel metabolite from deoxynivalenol, a trichothecene mycotoxins, in animals. *Agricultural and Biological Chemistry* **47**: 2133-2135.
- ❖ Yoshizawa T., Cote L.M., Swanson S.P., Buck W.B., (1986). Confirmation of DOM-1, a depoxidation metabolite of deoxynivalenol, in biological fluids of lactating cows. *Agricultural and Biological Chemistry* **50**: 227-229.
- ❖ Yoshizawa, T. (1991). Natural occurrence of mycotoxins in small grain cereals (wheat, barely, rye, oats, sorghum, millet, rice). In *Smith, J.E., Henderson, R.S. (Eds.), Mycotoxins and Animal Food. CRC Press, Boca Raton, FL, pp 301-324.*
- ❖ Young L.G., McGier L., Valli E., Lumsden J.H. and Lun A. (1983). Vomitoxin in corn fed to young pigs. *J. Anim. Sci.* **57**: 665-664.
- ❖ Yu F.L. (1977). Mechanism of aflatoxin B₁ inhibition of rat hepatic nuclear RNA synthesis. *J. biol. Chem.* **252**: 3245-3251.
- ❖ Yu F.L. (1981). Studies on the mechanism of aflatoxin B₁ inhibition of rat liver nucleolar RNA synthesis. *J. biol. Chem.* **256**: 3292-3297.
- ❖ Yu F.L. (1983). Preferential binding of aflatoxin B₁ to the transcriptionally active regions of rat liver nucleolar chromatin in vivo and in vitro. *Carcinogenesis* **4**: 889-893.

- ❖ Zhou H.R., Harkema J.R., Yan D., Pestka J.J. (1999). Amplified proinflammatory cytokine expression and toxicity in mice coexposed to lipopolysaccharide and the trichothecene vomitoxin (deoxynivalenol). *J. Toxicol. Environ. Health A* **57**: 115-136.
- ❖ Zimmerli B. Dick R. (1995). Determination of ochratoxin A at the ppt level in human blood, serum, milk and some foodstuffs by high-performance liquid chromatography with enhanced fluorescence detection and immunoaffinity column cleanup: methodology and Swiss data. *J. of Chromatography B*. **666**: 85-99.
- ❖ Zomborszky-Kovács M., Kovács F., Vetési F., Repa I., Tornyos G. and Toth A. (2002a). Investigations into the time- and dose-dependent effect of fumonisin B-1 in order to determine tolerable limit values in pigs. *Livestock Production Science* **76**: 251-256.
- ❖ Zomborszky-Kovács, M., Vetési, F., Horn, P., Repa, I. and Kovács, F. 2002b. Effects of prolonged exposure to low dose Fumonisin B1 in pigs. *Journal of Veterinary Medicine series B* **49**:197-201.