

Corrigendum

Corrigendum to “Comparison of the Proliferation and Differentiation Potential of Human Urine-, Placenta Decidua Basalis-, and Bone Marrow-Derived Stem Cells”

Chengguang Wu,^{1,2} Long Chen,³ Yi-zhou Huang,¹ Yongcan Huang^{4,5,6},
Ornella Parolini^{7,8}, Qing Zhong,⁹ Xiaobin Tian³, and Li Deng¹

¹Laboratory of Stem Cell and Tissue Engineering, State Key Laboratory of Biotherapy, West China Hospital, Sichuan University, Chengdu 610000, China

²Institute of Pathology and Molecular Pathology, University Hospital Zurich, Zurich 8091, Switzerland

³Department of Orthopedics, Guizhou Provincial People's Hospital, Guiyang, Guizhou 550000, China

⁴Shenzhen Engineering Laboratory of Orthopaedic Regenerative Technologies, Orthopaedic Research Center, Peking University Shenzhen Hospital, Shenzhen 518036, China

⁵Shenzhen Key Laboratory of Spine Surgery, Department of Spine Surgery, Peking University Shenzhen Hospital, Shenzhen 518036, China

⁶Department of Orthopaedics and Traumatology, The University of Hong Kong, Hong Kong SAR 999077, China

⁷Centro di Ricerca E. Menni, Fondazione Poliambulanza Istituto Ospedaliero, Brescia 25124, Italy

⁸Istituto di Anatomia Umana e Biologia Cellulare, Università Cattolica del Sacro Cuore Facoltà di Medicina e Chirurgia, Roma 00168, Italy

⁹Children's Medical Research Institute, University of Sydney, Sydney, New South Wales 2145, Australia

Correspondence should be addressed to Xiaobin Tian; txb6@vip.163.com and Li Deng; dengli2000@gmail.com

Received 23 January 2019; Accepted 30 January 2019; Published 10 March 2019

Copyright © 2019 Chengguang Wu et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

In the article titled “Comparison of the Proliferation and Differentiation Potential of Human Urine-, Placenta Decidua Basalis-, and Bone Marrow-Derived Stem Cells” [1], there were the following errors:

- (i) The first image (USCs) in the second row (passage 10) in Figure 1 was incorrect
- (ii) There was a missing in-text citation for reference [15] in the legend of Figure 4

The corrected Figure 1 and the corrected legend of Figure 4 along with the figure itself are shown herein.




FIGURE 1: USC, BMSC, and PDB-MSC morphologies at passages 4 and 10. Scale bar = 500 μm . BMSCs: bone marrow-derived mesenchymal stem cells; PDB-MSCs: placenta decidua basalis-derived mesenchymal stem cells; USCs: urine-derived stem cells.




FIGURE 4: Osteogenic, adipogenic [15], and chondrogenic differentiation of USCs, BMSCs, and PDB-MSC stained with Alizarin Red (scale bar = 100 μm), Oil Red O (scale bar = 20 μm), and Toluidine blue (scale bar = 50 μm), respectively. BMSCs: bone marrow-derived mesenchymal stem cells; PDB-MSCs: placenta decidua basalis-derived mesenchymal stem cells; USCs: urine-derived stem cells.

References

- [1] C. Wu, L. Chen, Y. Z. Huang et al., "Comparison of the proliferation and differentiation potential of human urine-, placenta decidua basalis-, and bone marrow-derived stem cells," *Stem Cells International*, vol. 2018, Article ID 7131532, 11 pages, 2018.



Hindawi

Submit your manuscripts at
www.hindawi.com

